

Starna Scientific The Spectroscopy Specialists

Cell/Cuvettes for all Spectrophotometer Fluorimeter and Laser applications



Starna scientific

Introduction to Starna®

The wide variety of Starna® products in this catalogue are manufactured in the Starna Scientific Ltd (formerly Optiglass Ltd) factory founded in 1964, whose lineage of optical expertise is traceable to the early part of the last century.

Starna Scientific is the manufacturing division of the international group of Starna[®] companies, who have a recognised world-wide reputation for quality, service, innovation and co-operation in the production and supply of spectrophotometer cells, optical components and certified reference materials.

During the 1950s, the founding members of the company developed and perfected the technique of fully fusing optically polished component parts by heat alone, without distortion. This major advance transformed the design and production of spectrophotometer cells and associated products. Continual development and improvement is reflected in the high quality world class Starna® products.

All manufacturing processes are carried out in an ISO 9000 certified production facility, from design and development of product to customised production machinery. The unique blend of skills including: cutting, slicing, grinding, polishing, conventional drilling, ultrasonic drilling and fusing as well as metallic, multi-layer and anti-reflection coating in one of many coating plants, achieves a complete vertically integrated manufacturing process.

During manufacture of all component parts, special care is taken to avoid contamination by the use of stringent cleaning processes. Together with mandatory inspection procedures these stringent cleaning processes ensure all products leave the factory in a pristine contamination-free condition, with an unconditional guarantee against faulty workmanship. This special treatment of cells together with internally profiled cells reduces bubble adhesion, particularly important in flow cell applications. In addition to the ISO 9001 certified manufacturing facility, the Starna Reference Material Calibration Laboratory which has been UKAS accredited to ISO 17025 since 2001, also achieved ISO guide 34 in 2006, the highest level of accreditation, recognised world-wide. The unique combination of manufacturing, application and laboratory skills, permits full traceability throughout the whole production process, making Starna Scientific a unique partner to instrument manufacturers, dealers and retail customers worldwide who require completely independent guaranteed validation reference materials for analytical equipment.

Window material transmission properties

Cell specifications

Starna[®] spectrophotometer cells and other quartz and glass assemblies, unless precluded by design, are assembled using a fully fused method of construction. This technique, pioneered and used by Starna Scientific since the mid 1950s, ensures that cells are fused into a single homogeneous entity using heat alone, without intermediate bonding materials. All cells are then carefully annealed to remove any residual strain from the fusing process. This ensures maximum physical strength as well as resistance to solvents. With few exceptions, most cells can be used safely with pressure differentials of up to 3 x 105Pa (3 Bar) and some up to10x105Pa (10 Bar).

General specifications


Windows parallel to:	better than 3 minutes	of arc
Window flatness to:	better than 4 Newton	fringes
Window polish, standard:	60/40 scratch/dig	
Window polish, laser:	20/10 scratch/dig	
Material	Path lengths	Tolerance
Glass	less than 10mm	$\pm 0.02 \text{mm}$
Glass	10 to 30mm	$\pm 0.1 \text{mm}$
Glass	40 to 100mm	± 0.2 mm
Special Optical Glass	up to 20mm	\pm 0.01mm
Special Optical Glass	30 to 100mm	$\pm 0.02 \text{mm}$
Quartz	0.01 to 0.05mm	$\pm 0.002 \text{mm}$
Quartz	0.1 to 0.4mm	± 0.005 mm
Quartz	0.5 to 30mm	\pm 0.01mm
Quartz	40 to 100mm	$\pm 0.02 \text{mm}$

Standard window thickness is 1.25mm, polished to better than 4 Newton Fringes per centimetre in the viewing area, typically flat to better than 1 micron (0.001mm) over the window area.

Although cells can be used with most solvents and acidic solutions, fluorinated acids such as Hydrofluoric Acid (HF) in all concentrations should be avoided as they will attack the quartz itself. Strong basic solutions (pH 9.0 and above) will also degrade the surface of the windows and shorten the useful life of the cells.

Flow cells with path lengths of less than 0.5mm are measured by an interference method both before and after final fusing.Calculation on this measurement provides an uncertainty of path length better than 0.2 microns (0.0002mm). Path length certification can be supplied for individual cells for a small additional charge. This should be requested at the time of ordering.





Contents

Contents		
Absorption cells		Sub-r
Accessories	28	Ultra-
Caps		Long
Cell holders		Roun
Cell spacers		Wide
Funnels		Medi
Lids		Fluorescen
Magnetic stir bars		Fluorimete
Mirror coatings		Stand
Quartz block inserts		Micro
Stoppers		Micro
Anærobic cells	12	Sub-r
Aspiration cells, micro and semi-micro	18	Flow
CD matching		Triang
Cell matching	4 & 2	Cons
Cell specifications		Gel boat c
Cell stirrer (Spinette)		Magnetic s
Colorimeter cells		Micro cells
Connector fittings	29	Micro cells
Constant temperature cells		Mixing cell
Cube cells		NIST trace
Cylindrical cells		Polarimete
, Constant temperature		Quartz/Bo
Short path		Rectangula
Short path, micro		Reference
Standard		Refractome
Large diameter		Screw cap
With tube		Semi-micro
With graded seal	11	Semi-micro
Demountable cells, short path length		Semi Micro
Dissolution cell construction		Semi Micro
Divided cells		Small screv
Dual path length cells		Standard r
Dye laser cells		Sub-micro
Flow cells		Sub-micro
Dissolution cells		Sub-micro
Fittings		Sub-micro
Fluorimeter		Suction cel
Fluorimeter HPLC	24	Tandem ce
HPLC		Terms of so
	14 9 17	
Short path Short path, demountable	4 & /	Transmissio
Short path, demountable	14	Ultra-micro
In-line and Microscope analysis, in line	13-14	Ultra-micro
Standard & Semi-micro		UHV cells
Sub-micro	16	Z Height d

Sub-micro, de-bubbler		19
Ultra-micro	8	20
Long aperture		17
Round aperture		
Wide aperture		
Medium aperture		
Fluorescence reference materials	_	
Fluorimeter cells		
Standard rectangular		
Micro & semi-micro, with & without stopper		
Micro cell adaptors - FCAs		
Sub-micro		
Flow cells, all types		
Triangular open top/stopper		23
Constant temperature		
Gel boat cells		
Magnetic stirring cells		
Micro cells / Micro Cells short with lid or stopper		
Micro cells self-masking with lid or stopper		
Mixing cells		
NIST traceable certified reference materials	 _	30
Polarimeter cells		
Quartz/Borofloat graded seals fused to cells		
Rectangular cells with small screw caps		
Reference materials, liquid and glass		30
Refractometer cells		
Screw cap & septum cap cells GL14	 _ `	12
Semi-micro cells with lid or stopper		
Semi-micro cells self-masking with lid or stopper		
Semi Micro cells short		6
Semi Micro cells short, self-masking		_
Small screw cap & septum cap cells		12
Standard rectangular cells with lid or stopper		
Sub-micro cells with lid or vaned stopper		
Sub-micro and multi-micro cells short		
Sub-micro cells, low headspace		9
Sub-micro cells with stopper		9
Suction cells		1
Tandem cells		
Terms of sale		
Transmission specifications		
Ultra-micro cells		
Ultra-micro lens cell		
UHV cells with stopcock		
7 Height dimension		4

How to order

Essential ordering information is shown under the **Blue column headings** throughout the catalogue. Detail shown under the black headings is additional descriptive and dimensional information and need not be included. eg. to order Type 1/I/10 (Standard Rectangular, Infrasil, 10mm Path length)

Type No.	Window Materials		Path Length	Internal Width	E L	xtern W	al H		minal I. ml		
	G, SOG, PX, HH,	Q, I, SX	10 Å	10	12.5	12.5	45	3	.500	_	
eg. to or	rder Type 19.01	/ <mark>Q/1/Z8</mark> .5	(Ultra-m	iicro, Spectrosil,	lmm	n path	n leng	th, 8.	5mm 2	Z dimen	sior
Type No.	Window Materials	Path Length	Z Heig	Sample ht W	chaml H	ber	Ext L	ernal W I	Н	Nomin Vol. m	

NO.	Materials	Length	Height	vv	н	L VV	н	vol. ml
19.01	SOG, Q	Å	8,5, 15, 20	5	1	12.5 12.5	40.5	0.0050

Material specifications

Starna Scientific offer the following window materials: Optical Glass (G), Special Optical Glass (SOG), & Borofloat® (PX) for the Visible range; UV Silica Quartz(HH) for UV; Spectrosil® Quartz (Q) or equivalentfor FarUV & Visible, Infrasil® Quartz (I) or equivalent for UV through Near Infra-red (IR); Suprasil 300® Quartz (SX) or equivalent for FarUV through Near IR

If a specific window material is required and is not shown in this catalogue please contact us for availability. The following table shows the Usable Range (UR) and the range over which the transmission guaranteed better than 80%.

Material		UR From	>80% From Nm
Optical Glass	G	334 nm	360 through 2500 nm
Special Optical Glass	SOG	320 nm	320 through 2500 nm
Borofloat	PX	325 nm	330 through 2500 nm
UV Silica	HH	220 nm	260 through 2500 nm
Spectrosil [®] Quartz	Q	190 nm	200 through 2500 nm
Infrasil®	I.	220 nm	220 through 3800 nm
Suprasil 300 [®] Quartz	SX	190 nm	200 through 3500 nm

For fluorescent applications Spectrosil[®] is the recommended window material, as it does not exhibit any background fluorescence. Some other materials, especially glass and lower grades of quartz may have some background fluorescence.

The meticulous care taken in the quality of the polishing and unique construction of regular Starna® quartz fluorescent cells brings them within tolerances which are sufficiently stringent for them to be used in laser applications. These techniques are particularly relevant in the manufacture of much larger Ultra High Vacuum (UHV) cells.

Z Height dimension - IMPORTANT!


The 'Z' height is the distance from the bottom of the cell holder cavity to the centre of the incident light beam profile, which can be round, rectangular or curved. For the most

efficient use of energy and sample volume the sample chamber aperture should ideally encompass the light beam with a small extra margin to avoid beam clipping.

The 'Z' height of the cell, the distance from the centre of the cell sample chamber aperture to the base of the cell, should match to that of the instrument.

Manufacturers have generally designed their instruments with 'Z' dimensions ranging from 5 to 20mm with 8.5 or 15mm being the most popular.

Choosing the correct cell 'Z' height is very important when the aperture in the cell is very small, as in sub-micro cells and micro flow cells.



The standard 'Z' heights for any cell, where this information is critical, are shown in a separate column in the information tables, headed 'Z' Height. Other 'Z' dimensions can be supplied on request.

The correct 'Z' height should be added to the part number e.g. if 8.5mm is required it should be shown as follows 73.4/SOG/10/Z8.5. As a double check at the time of ordering, it is beneficial to state the instrument make and model number for which the cell is required.

ALL dimensions stated in this catalogue are in millimetres unless otherwise indicated

Cell matching

Modern production and fusing techniques, together with consistent raw materials, have virtually eliminated the need for transmission matching in regular standard high grade quartz cells.

The extremely accurate physical path length tolerances used in production, stated on page 2, are essential especially on very short path lengths, for instance in dissolution measurements where multiple short path length cells may be used. Such flow cells Types 73, 74, 75, 583, 584 and 585 each have a unique fully traceable serial number engraved on the window. Cells with path lengths less than 0.5mm are measured using an interference method both before and after final fusing to provide a path length uncertainty calculation better than 0.2 microns (0.0002 mm). A certificate of path length and full production traceability can be provided for each individual cell on request, for a small additional charge.

Cells manufactured for **Circular Dichroism(CD)** must have strain-free oriented windows and the complete cell carefully annealed. This process incurs an additional charge for each cell. Cells required for **CD** must have this suffix **CD** added to the part number e.g. 34/Q/50/CD.

When cells matched for transmission are required, mainly but not exclusively for less consistent materials such as Glass and Special Optical Glass where transmission characteristics from melt to melt differ, each measured cell is given a match code relative to its transmission at a given wavelength as measured on a spectrophotometer. The transmission matching tolerances at measured wavelengths are shown as follows:


Window Material	Matching Tolerance	Measured at Wavelength
Optical Glass	0.5%	350nm
Special Optical Glass	1.0%	320nm
Borofloat	1.0%	320nm
UV Silica	1.5%	240nm
Spectrosil® Quartz	1.5%	200nm
Infrasil® Quartz	1.5%	240nm
Suprasil 300®	1.5%	240nm

The matching codes are only of real value when comparing new cells as transmission characteristics change during use because of surface contamination or wear due to cleaning processes. Therefore a brand new cell may not identically match an older used cell of the same match code.

Type 1. Macro/Standard Rectangular with lid, and Reduced Volume with lid

- Open top, with non-sealing PTFE cover.
- Polyethylene vaned lid available on request for 10mm cells only, providing a liquid-tight seal. (see page 28)
- Two polished windows.
- Walls polished internally, fine ground externally.
- Suitable for use with all standard cell holders.
- Type 1/B has black side walls.
- Type 1/10/CD thick base, reduced sample for CD.
- Cell compartment spacers **SPA** available for 1, 2 & 5mm Path length cells (see page 28).

Type No.	Window Materials	Path Length	Internal Width	E: L	xtern W	al H	Nominal Vol. ml	
1	G, SOG, Q, I, SX	1	10	3.5	12.5	45	0.400	
1	G, SOG, Q, I, SX	2	10	4.5	12.5	45	0.700	
1	G, SOG, Q, I, SX	5	10	7.5	12.5	45	1.700	
1	G, SOG, PX, HH, Q, I	,SX 10	10	12.5	12.5	45	3.500	
1	G, SOG, Q, I, SX	20	10	22.5	12.5	45	7.000	
1	G, SOG, Q, I, SX	30	10	32.5	12.5	45	10.500	
1	G, SOG, Q, I, SX	40	10	42.5	12.5	45	14.000	
1	G, SOG, Q, I, SX	50	9.5	52.5	12.5	45	17.500	
1	G, SOG, Q, I, SX	100	9.5	102.5	12.5	45	35.000	
1/B	Q	10	10	12.5	12.5	45	3.500	
1.7	G	10	10	12.5	12.5	70	6.500	
1.100	G	10	10	12.5	12.5	100	10.000	
1/10/CD	Q, I	1	10	3.5	12.5	45	0.275	
1/10/CD	Q, I	2	10	4.5	12.5	45	0.450	
1/10/CD	Q, I	5	10	7.5	12.5	45	1.200	
1/10/CD	Q, I	10	10	12.5	12.5	45	2.500	





. 1/Q/100

For GL/14 Screw tops, graded seals & straight bore tubes - See pages 11 & 12

Type 21. Macro/Standard Rectangular with stopper(s), and Reduced Volume with stopper(s)

- Closed by PTFE stopper(s), providing a liquid-tight seal.
- Two polished windows.
- Walls polished internally, fine ground externally.
- Suitable for use with all standard cell holders.
- Type 21-N Wide neck.

Type No.

21

21 21

21 21

21

21


21


21

21-N 21-LB 21/10/CD 21/10/CD 21/10/CD 21/10/CD

- Type 21-LB With long stopper block.
- Type 21/10/CD thick base, reduced sample for CD.
- Cell compartment spacers **SPA** available for 1, 2 & 5mm Path length cells **(see page 28)**.


M	9		
	ų		
21/0/1	21/0/2	21/0/5	








	Window Materials	Path Length	Internal Width	E	xterno W	al H	Nominal Vol. ml
	Mulenuis	Lengin	widin	L	**		voi. mi
G,	SOG, Q, <mark>I, S</mark> X	1	10	3.5	12.5	55	0.400
G,	SOG, Q, <mark>I, S</mark> X	2	10	4.5	12.5	55	0.700
G,	SOG, Q, <mark>I, S</mark> X	5	10	7.5	12.5	48	1.700
G ,	SOG, HH, Q, <mark>I, S</mark> X	10	10	12.5	12.5	48	3.500
G,	SOG, Q, <mark>I, S</mark> X	20	10	22.5	12.5	48	7.000
G,	SOG, Q, I <mark>, S</mark> X	30	10	32.5	12.5	48	10.500
G,	SOG, Q, <mark>I,</mark> SX	40	10	42.5	12.5	48	14.000
G,	SOG, Q, <mark>I, SX</mark>	50	9.5	52.5	12.5	48	17.500
G,	SOG, Q, <mark>I, S</mark> X	100	9.5	102.5	12.5	48	35.000
	Q	10	10	12.5	12.5	43	3.000
	Q	10	10	12.5	12.5	42	3.000
	Q, I	1	10	3.5	12.5	55	0.275
	Q, I	2	10	4.5	12.5	55	0.450
_	Q, I	5	10	7.5	12.5	48	1.200
	Q, I	10	10	12.5	12.5	48	2.500







21-N/Q/10

G = Optical Glass 334-2500nm SOG = Special Optical Glass 320-2500nm PX = Borosilicate 325-2500nm HH = UV Silica 220-2500nm Q = Far UV Quartz 170-2700nm I = Near Infra-Red Quartz 220-3800nm SX = Far UV to Near IR Quartz (Water free) 170-3500nm

Type 8. Semi Micro short

- Open top, supplied with non-sealing PTFE cover.
- Two polished windows.
- Walls polished internally, fine ground externally.

	Vindow Naterials	Path Length	Interna Width		xtern W		Base Thickness	Nominal Vol. ml
Clear walls								
8	SOG, Q	5	4	7.5	12.5	25	3	0.400
8	SOG, Q 📃	10	4	12.5	12.5	25	3	0.800
Self-masking	g. Black walls							
8/B	SOG, Q	5	4	7.5	12.5	25	3	0.400
8/B	SOG, Q	10	4	12.5	12.5	25	3	0.800

Type 9 & 9/B. Semi-micro with lid


- Reduced nominal volume to <50% of Standard rectangular.
- Open top, supplied with non-sealing PTFE cover.
- Two polished windows.
- Walls polished internally, fine ground externally.
- Suitable for use with all standard cell holders.
- Self-masking solid black walls enhance sensitivity and improve linearity at higher absorbances.

Type No.	Window Materials	Path Length	Internal Width	E	xteri W	nal H	Base Thickness	Nominal Vol. ml
Clear walls								
9	G,SOG, Q, I, SX	5	4	7.5	12.5	45	3	0.700
9	G,SOG, PX, HH, Q,	I, SX 10	4	12.5	12.5	45	3	1.400
9	SOG, Q, <mark>I, S</mark> X	20	4	22.5	12.5	45	3	2.800
9	SOG, Q, <mark>I, S</mark> X	40	4	42.5	12.5	45	3	5.600
9	SOG, Q, <mark>I, S</mark> X	50	4	52.5	12.5	45	3	7.000
9	Q, I, SX	100	4	102.5	12.5	45	3	14.00
9/9	SOG, Q, <mark>I, S</mark> X	10	4	12.5	12.5	45	9	1.160
Self-masking	g. Black walls							
9/B	SOG, Q, <mark>I, S</mark> X	5	4	7.5	12.5	45	3	0.700
9/B	SOG, HH, Q, I, SX	10	4	12.5	12.5	45	3	1.400
<u>9/B</u>	SOG, Q, <mark>I, S</mark> X	20	4	22.5	12.5	45	3	2.800
9/B	SOG, Q, <mark>I, S</mark> X	40	4	42.5	12.5	45	3	5.600
9/B	SOG, Q, <mark>I, S</mark> X	50	4	52.5	12.5	45	3	7.000
9/B/9	SOG, Q, <mark>I, S</mark> X	10	4	12.5	12.5	45	9	1.160

Type 29 & 29/B. Semi-micro with stopper(s)

- Reduced nominal volume to <50% of Standard rectangular.
- Closed by PTFE stopper(s), providing a liquid-tight seal.
- Two polished windows.
- Walls polished internally, fine ground externally.
- Suitable for use with all standard cell holders. •
- Self-masking solid black walls enhance sensitivity and improve linearity at higher absorbances.


Туре	Window	Path	Internal	E	xtern	al	Base	Nominal
No.	Materials	Length	Width	L	W	н	Thickness	Vol. ml
Clear walls	5							
29	SOG, Q, <mark>I, S</mark> X	5	4	7.5	12.5	48	3	0.700
29	SOG, PX, HH, Q, I, S)	(10	4	12.5	12.5	48	3	1.400
29	SOG, Q, <mark>I, S</mark> X	20	4	22.5	12.5	48	3	2.800
29	SOG, Q, <mark>I, S</mark> X	40	4	42.5	12.5	48	3	5.600
29	SOG, Q, <mark>I, S</mark> X	50	4	52.5	12.5	48	3	7.000
29/9	SOG, Q, <mark>I, S</mark> X	10	4	12.5	12.5	48	9	1.160
Self-maski	ng. Black walls							
29/B	SOG, Q, <mark>I, S</mark> X	5	4	7.5	12.5	48	3	0.700
29/B	SOG, HH, Q, I, S	(10	4	12.5	12.5	48	3	1.400
29/B	SOG, Q, <mark>I, S</mark> X	20	4	22.5	12.5	48	3	2.800
29/B	SOG, Q, <mark>I, S</mark> X	40	4	42.5	12.5	48	3	5.600
29/B	Q , I , SX	50	4	52.5	12.5	48	3	7.000
29/B/9	SOG, Q, <mark>I, S</mark> X	10	4	12.5	12.5	48	9	1.160
29/B/12	Q	1	4	12.5	12.5	48	12	0.100
29/B/12	Q	2	4	12.5	12.5	48	12	0.200
29/B/12	Q	5	4	12.5	12.5	48	12	0.500
29/B/12	Q	10	4	12.5	12.5	48	12	1.000





4

























Type 17. Micro short

- Two polished windows.
- Open top, supplied with non-sealing PTFE cover.
- Walls polished internally, fine ground externally.
- Base thickness 3mm.

Туре	Window	Path	Internal	E	xtern	al	Nominal
No.	Materials	Length	Width	L	W	Н	Vol. ml
Clear wa	ılls						
17	SOG, Q	5	2	7.5	12.5	25	0.200
17	SOG, Q	10	2	12.5	12.5	25	0.400
Self-mas	king. Black walls						
17/B	SOG, Q	5	2	7.5	12.5	25	0.200
17/B	SOG, Q	10	2	12.5	12.5	25	0.400

Type 18 & 18/B. Micro with lid

- Reduced nominal volume to <20% of Standard rectangular.
- Open top, with non-sealing PTFE cover.
- Two polished windows.
- Walls polished internally, fine ground externally.
- Suitable for use with all standard cell holders.
- Self-masking solid black walls enhance sensitivity and improve linearity at higher absorbances.

Type No.	Window Materials	Path Length	Internal Width	E	xtern W	al H	Base Thickness	Nominal Vol. ml
Clear wa	lls							
18	SOG, Q, <mark>I, S</mark> X	5	2	7.5	12.5	45	3	0.350
18	SOG, PX, HH, Q, I, SX	10	2	12.5	12.5	45	3	0.700
18	SOG, Q, <mark>I, S</mark> X	20	2	22.5	12.5	45	3	1.400
18	SOG, Q, <mark>I, S</mark> X	40	2	42.5	12.5	45	3	2.800
18	SOG, Q, <mark>I, S</mark> X	50	2	52.5	12.5	45	3	3.500
18	SOG, Q, <mark>I, S</mark> X	50	2	52.5	12.5	45	3	3.500
18	Q , I , SX	100	2	102.5	12.5	45	3	7.000
18/9	SOG, Q, <mark>I, S</mark> X	10	2	12.5	12.5	45	9	0.580
Self-mask	king. Black walls							
18/B	SOG, Q, <mark>I, S</mark> X	5	2	7.5	12.5	45	3	0.350
18/B	SOG, HH, Q, <mark>I,</mark> SX	10	2	12.5	12.5	45	3	0.700
18/B	SOG, Q, <mark>I, S</mark> X	20	2	22.5	12.5	45	3	1.400
18/B	SOG, <mark>Q, I, S</mark> X	40	2	42.5	12.5	45	3	2.800
18/B	SOG, Q, <mark>I, S</mark> X	50	2	52.5	12.5	45	3	3.500
18/B/9	SOG, <mark>Q</mark> , <mark>I, S</mark> X	10	2	12.5	12.5	45	9	0.580

Type 28 & 28/B. Micro with stopper(s)

- Reduced nominal volume to <20% of Standard rectangular.
- Closed by PTFE stopper(s), providing a liquid-tight seal.
- Two polished windows.
- Walls polished internally, fine ground externally.
- Suitable for use with all standard cell holders.
- Self-masking solid black walls enhance sensitivity and improve linearity at higher absorbances.

Type No.	Window Materials	Path Length	Internal Width	L	xtern W	al H	Base Thickness	Nominal Vol. ml
Clear wal	ls							
28	SOG, Q, I, SX	5	2	7.5	12.5	48	3	0.350
28	SOG, PX, HH, Q, I, SX	10	2	12.5	12.5	48	3	0.700
28	SOG, Q, I, SX	20	2	22.5	12.5	48	3	1.400
28	SOG, Q, <mark>I, S</mark> X	40	2	42.5	12.5	48	3	2.800
28	SOG, Q, <mark>I,</mark> SX	50	2	52.5	12.5	48	3	3.500
28/9	SOG, Q, I, SX	10	2	12.5	12.5	48	9	0.580
Self-mask	king. Bla <mark>ck walls</mark>							
28/B	S <mark>OG, Q, I, SX</mark>	5	2	7.5	12.5	48	3	0.350
28/B	SOG, HH, Q, I <mark>,</mark> SX	10	2	12.5	12.5	48	3	0.700
28/B	SOG, Q, I, SX	20	2	22.5	12.5	48	3	1.400
28/B	S <mark>OG, Q, I, SX</mark>	40	2	42.5	12.5	48	3	2.800
28/B	Q, I, SX	50	2	52.5	12.5	48	3	3.500
28/B/9	SOG, Q, <mark>I, S</mark> X	10	2	12.5	12.5	48	9	0.580


www.starna.com



18/Q/10



-









لسس ųuuų 28/0/50








8/B/9/Q/1

Type 15. Sub-micro & Multi-micro, short

- Two polished windows.
- Open top.
- To be used with holder supplied by instrument manufacturer.




15 40/5/0/5/72

15.40/2/Q/10/Z8.

Type 16 & 16R. Sub-micro

- Sub-micro volumes from 10μ l to 160μ l.
- Type 16 has a top section; comprising two black walls and two translucent side walls with a square internal cross-section.
- Open top, supplied with non-sealing PTFE cover as well as a vaned lid to provide a liquid-tight seal.
- To avoid possible meniscus errors; it may be necessary to increase the nominal sample fill volume by at least 20%.
- Z dimension measurement or instrument information is required when ordering.
- May be used with all standard cell holders.
- Filling and emptying with a pipette is recommended.
- Type 16R. Similar to Type 16 except that the top section is solid black quartz and round internal cross-section.
- Closed by a vaned polyethylene plug stopper to provide a liquid-tight seal.



\sim	\sim	~	
/Q/10/Z15	16R/40/Q/10/Z15	16R/50/Q/10/Z15	

16B/100/Q/10/Z15

16R/160/Q/10/Z15 7 Dimension per instrument

4/0/10/73

Туре	Window	Path	Z	Inte	rnal	Exter	nal	Nominal
No.	Material	Length	Height	W	Н	LW	Н	Vol. ml
Square to	p, two translu	cent walls						
16.10	Q	10	8.5, 15, 20	1	1	12.5 12.	5 45	0.010
16.40	Q	10	8.5, 15, 20	2	2	12.5 12.	5 45	0.040
16.50	Q	10	8.5, 15, 20	2	2.5	12.5 12.	5 45	0.050
16.4.2	Q	10	15	4	2	12.5 12.	5 45	0.080
16.100	Q	10	8.5, 15, 20	2	5	12.5 12.	5 45	0.100
16.160	Q	10	8.5, 15, 20	2	8	12.5 12.	5 45	0.160
Square to	p with round	hole, solid b	lack					
16R/10	Q	10	8.5, 15, 20	1	1	12.5 12.	5 45	0.010
16R/40	Q	10	8.5, 15, 20	2	2	12.5 12.	5 45	0.040
16R/50	Q	10	8.5, 15, 20	2	2.5	12.5 12.	5 45	0.050
16R/100	Q	10	8.5, 15, 20	2	5	12.5 12.	5 45	0.100
16R/160	Q	10	8.5, 15, 20	2	8	12.5 12.5	5 45	0.160

160/10

Z Dimension per instrui	mem
Manufacturer Z	Dimension
Agilent [®]	15mm
Beckman®	8.5mm
Bio-Rad [®]	8.5mm
Eppendorf®	8.5mm
GBC®	15mm
Hewlett-Packard®	15mm
Hitachi [®]	8.5mm
Jasco®	12mm
Perkin-Elmer®	15mm
Pharmacia®	15mm
Scinco®	15mm
Shimadzu®	15mm
Spectronics®	8.5mm
Turner®	8.5mm
Varian [®] (Carv®/Aailent®	20mm

sub-micro

Type 26. Sub-micro & Ultra-micro with stopper

- Reduced nominal volume from 10μ l to 160μ l.
- ullet Rectangular top section with two black walls and two translucent walls.
- Closed by PTFE stopper, providing a liquid-tight seal.
- To avoid possible meniscus errors; it may be necessary to increase the nominal sample fill volume by at least 20%.
- May also be used with all standard cell holders.
- Z dimension or instrument information required when ordering.
- Filling and emptying with a pipette is recommended.

Туре	Window	Path	Z	Internal		E	xtern	Nominal	
No.	Material	Length	Height	W	Н	L	W	Н	Vol. ml
26.10	Q	10	8.5, 15, 20	1	1	12.5	12.5	48	0.010
26.40	Q	10	8.5, 15, 20	2	2	12.5	12.5	48	0.040
26.4.2	Q	10	15, 20	4	2	12.5	12.5	48	0.080
26.50	Q	10	8.5, 15, 20	2	2.5	12.5	12.5	48	0.050
26.100	Q	10	8.5, 15, 20	2	5	12.5	12.5	48	0.100
26.160	Q	10	8.5, 15, 20	2	8	12.5	12.5	48	0.160

Z15

26.50/Q/10/Z15

26.50/Q/10/Z20

0/Q/10/Z8.

. WWWW

Type 26/LHS. Sub-micro, low head space

- The cell and liquid-tight stopper are specially designed so the volume of air above the sample is reduced by >95% compared with normal sub-micro cells.
- This reduces evaporation loss of samples such as DNA to a minimum.
- Reduced nominal volume range from 10μ l to 440μ l.
- Round internal solid black top closed by a specially profiled PTFE stopper. Spare stoppers, see page 28.
 Part No. STP/C10.LHS/Z8.5 or STP/C10.LHS/Z15/20
- Quartz stoppers available to avoid condensation errors at higher temperatures (see page 28)
- To avoid possible meniscus errors; it may be necessary to increase the nominal sample fill volume by at least 20%.
- Sample may be introduced and retrieved by syringe or micro pipette.
- Z dimension or instrument information required when ordering.

Window Material	Path Lenath	Z Height		ernal H	L	Exterr W		Nominal Vol. ml
		U	1	1	10.5			
Q	10	, ,		1	12.5	12.5	48	0.010
Q	10	8.5, 15, 20	2	2	12.5	12.5	48	0.040
Q	10	8.5, 15, 20	2	2.5	12.5	12.5	48	0.050
Q	10	8.5, 15, 20	2	5	12.5	12.5	48	0.100
Q	10	8.5, 15, 20	2	8	12.5	12.5	48	0.160
i Q	1	20	4	11	12.5	12.5	48	0.044
i Q	5	20	4	11	12.5	12.5	48	0.220
i Q	10	20	4	11	12.5	12.5	48	0.440
	Material Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q	Material Length Q 10 Q 1 Q 5	Material Length Height Q 10 8.5, 15, 20 Q 1 20 Q 5 20	Material Length Height W Q 10 8.5, 15, 20 1 Q 10 8.5, 15, 20 2 Q 1 20 4 Q 5 20 4	Material Length Height W H Q 10 8.5, 15, 20 1 1 Q 10 8.5, 15, 20 2 2 Q 10 8.5, 15, 20 2 2 Q 10 8.5, 15, 20 2 5 Q 10 8.5, 15, 20 2 5 Q 10 8.5, 15, 20 2 8 Q 10 8.5, 15, 20 2 8 Q 1 20 4 11 Q 5 20 4 11	Material Length Height W H L Q 10 8.5, 15, 20 1 1 12.5 Q 10 8.5, 15, 20 2 2 12.5 Q 10 8.5, 15, 20 2 2.5 12.5 Q 10 8.5, 15, 20 2 5 12.5 Q 10 8.5, 15, 20 2 5 12.5 Q 10 8.5, 15, 20 2 5 12.5 Q 10 8.5, 15, 20 2 8 12.5 Q 10 8.5, 15, 20 2 8 12.5 Q 10 8.5, 15, 20 2 8 12.5 Q 1 20 4 11 12.5 Q 5 20 4 11 12.5	Material Length Height W H L W Q 10 8.5, 15, 20 1 1 12.5 12.5 Q 10 8.5, 15, 20 2 2 12.5 12.5 Q 10 8.5, 15, 20 2 2.5 12.5 12.5 Q 10 8.5, 15, 20 2 5 12.5 12.5 Q 10 8.5, 15, 20 2 5 12.5 12.5 Q 10 8.5, 15, 20 2 8 12.5 12.5 Q 10 8.5, 15, 20 2 8 12.5 12.5 Q 10 8.5, 15, 20 2 8 12.5 12.5 Q 1 20 4 11 12.5 12.5 Q 5 20 4 11 12.5 12.5	Material Length Height W H L W H Q 10 8.5, 15, 20 1 1 12.5 12.5 48 Q 10 8.5, 15, 20 2 2 12.5 12.5 48 Q 10 8.5, 15, 20 2 2.5 12.5 12.5 48 Q 10 8.5, 15, 20 2 5 12.5 12.5 48 Q 10 8.5, 15, 20 2 5 12.5 12.5 48 Q 10 8.5, 15, 20 2 8 12.5 12.5 48 Q 10 8.5, 15, 20 2 8 12.5 12.5 48 Q 10 8.5, 15, 20 2 8 12.5 12.5 48 Q 1 20 4 11 12.5 12.5 48 Q 5 20 4 11 12.5 12.5


Type 19 Ultra-micro & 19/L Ultra-micro lens cell


- Ultra-micro volume range from 0.5μl to 10μl.
- Two polished windows.
- Sample inserted and retrieved with micro pipette tip.
- Two micro pipette tips provided with each cell.
- Type 19/L is a patented design with integral focusing lens. Which increases the energy entering the sample. Performance is dictated by instrument optical configuration.
- Type 19/L is not suitable for all instruments.
- Type 19/L Z 8.5* has an External height of 38.5mm Z dimension or instrument information required when ordering.

Type No.	Window Material	Path Length	Z Height	Inter W	nal H	L	Extern W	al H	Nominal Vol. ml
19.001	Q	0.1	8.5, 15, 20	5	1	12.5	12.5	45	0.0005
19.01	Q	1	8.5, 15, 20	5	1	12.5	12.5	45	0.0050
19.05	Q	5	8.5, 15, 20	0.8Ø		12.5	12.5	45	0.0025
19.10	Q	10	8.5, 15, 20	0.8Ø		12.5	12.5	45	0.0050
19.05/L	Q	5	8.5*,15, 20	1	1	12.5	12.5	45	0.0050



19.05/L/Q/5/Z15








19.01/Q/1

19

Type 31. Cylindrical. Short path length


- Two polished windows.
- Closed by PTFE stopper, providing a liquid-tight seal.



Type No.	Window Materials	Path Length	Internal Dia.	Exter Dia.	nal L	Nominal Vol. ml
31	Q, I, SX	0.01	15	22	22.5	2.15
31	Q, I, SX	0.05	15	22	22.5	2.15
31	Q, I, SX	0.10	15	22	22.5	2.15
31	Q, I, SX	0.20	15	22	22.5	2.18
31	Q, I, SX	0.50	15	22	22.5	2.22
31 31	Q, I, SX	1	15	22	22.5	2.31
31	Q, I, SX	2	15	22	22.5	2.49
31	Q, I, SX	5	15	22	22.5	3.02

Type 32. Cylindrical. Standard


- Two polished windows.
- Closed by a single PTFE stopper, providing a liquid-tight seal.



Type No.	Window Materials	Path Length	Internal Dia.	Exter Dia.	nal L	Nominal Vol. ml
32	SOG, PX, Q, I, SX	1	19	22	3.5	0.28
32	SOG, PX, Q, I, SX	2	19	22	4.5	0.56
32	SOG, PX, Q, I, SX	5	19	22	7.5	1.40
32	SOG, PX, Q, I, SX	10	19	22	12.5	2.80
32 32 32 32 32 32 32 32	SOG, PX, Q, I, SX	20	19	22	22.5	5.60
32	SOG, PX, Q, I, SX	50	19	22	52.5	14.10
32	SOG, PX, Q, I, SX	100	19	22	102.5	28.20

Type 35. Cylindrical. Large diameter


- Two polished windows.
- Closed by PTFE stopper(s), providing a liquid-tight seal.



Type No.	Window Materials	Path Length	Internal Dia.	Exte Dia.	rnal L	Nominal Vol. ml	
35	SOG, PX, Q, I	2	47	50	4.5	3.40	
35	SOG, PX, Q, I	5	47	50	7.5	8.50	
35	SOG, PX, Q, I	10	47	50	12.5	17.00	
35	SOG, PX, Q, I	20	47	50	22.5	35.00	
35	SOG, PX, Q, I	50	47	50	52.5	86.00	
<u>35</u> 35	Q	100	47	50	102.5	172.00	

Type 31/B. Cylindrical. Short path length, micro.

- Reduced sample volume.
- Two polished windows.
- Two filling ports, closed by two PTFE stoppers, providing a liquid-tight seal. 31/Bart



13

22

22.5

1.552

Type 34. Cylindrical. Standard


5

Two polished windows.

Q

31/B


• Closed by two PTFE stoppers, providing a liquid-tight seal.




Type No.	Window Materials	Path Length	Internal Dia.	Exter Dia.	nal L	Nominal Vol. ml
34.4	Q	100	4	6	102.5	1.30
34.8	Q	100	8	10	102.5	5.10
34.10	Q	100	10	12	102.5	7.86
34.12	Q	100	12	14	102.5	11.35
34	SOG, PX, Q, I, SX	50	19	22	52.5	14.10
34 34	SOG, PX, Q, I, SX	100	19	22	102.5	28.20
34	Q	200	19	22	202.5	56.40

Type 37. Cylindrical with tube

- Two polished windows.
- Tube material the same as cell body.
- Available on request with restriction for easy seal.



	pe Window Io. Materials	Path Length	Int. Dia.	Ex Dic			ube OD	. L	Nominal Vol. ml
37	SOG, PX, Q, I, SX	1	19	22	3.5	2	4	70	0.28
37	SOG, PX, Q, I, SX	2	19	22	4.5	2	4	70	0.56
37	SOG, PX, Q, I, SX	5	19	22	7.5	2	4	70	1.40
37	SOG, PX, Q, I, SX	10	19	22	12.5	2	4	70	2.80
37	SOG, PX, Q, I, SX	20	19	22	22.5	2	4	70	5.60
37	SOG, PX, Q, I, SX	50	19	22	52.5	2	4	70	14.10
37	SOG, PX, Q, I, SX	100	19	22	102.5	2	4	70	28.20



Rectangular & Cylindrical with Quartz to Borofloat graded seal (GS)


- Quartz to borofloat graded seal fully fused to cell.
- Different diameters and lengths of graded seals can be supplied on request.

Rectangular & Cylindrical with straight tube (SBT)

- Quartz tube fully fused to quartz cell.
- Borofloat tube fully fused to borofloat cell
- Different diameters & lengths of straight bore tube can be supplied on request.

Rectangular for Low Temperature (HLT/GS) with Quartz to Borofloat graded seal


- 2mm thick walls.
- Fully fused 'welded' joints.
- Quartz to borofloat graded seal





Type No.	Window Materials	Path Length	Internal Width	Internal Dia.	L	Exte W	rnal H	D	ID.	Tube OD.	L	Nominal Vol. ml	Remarks
1/GS or SBT	Q, I	1	10		3.5	12.5	115		8	10	70	0.40	Macro/Standard rectangular
1/GS or SBT	Q, I	2	10		4.5	12.5	115		8	10	70	0.70	Macro/Standard rectangular
1/GS or SBT	Q, I	5	10		7.5	12.5	115		8	10	70	1.70	Macro/Standard rectangular
1/GS or SBT	Q, I	10	10		12.5	12.5	115		8	10	70	3.50	Macro/Standard rectangular
3/GS or SBT	Q, I	10	10		12.5	12.5	115		8	10	70	3.50	Fluorimeter
9/GS or SBT	Q, I	10			12.5	12.5	115		8	10	70	1.40	Semi-micro
18/GS or SBT	Q, I	10			12.5	12.5	115		8	10	70	0.70	Micro
37/GS	Q, I	1		19	3.5			22	2	4	70	0.28	Cylindrical
37/GS	Q, I	2		19	4.5			22	2	4	70	0.56	Cylindrical
37/GS	Q, I	5		19	7.5			22	2	4	70	1.40	Cylindrical
37/GS	Q, I	10		19	12.5			22	2	4	70	2.80	Cylindrical
37/GS	Q, I	20		19	22.5			22	2	4	70	5.60	Cylindrical
37/GS	Q, I	50		19	52.5			22	2	4	70	14.00	Cylindrical
37/GS	Q, I	100		19	102.5			22	2	4	70	28.00	Cylindrical
1/HLT/GS	Q	10	8.5	10	12.5		115		8	10	70	3.5	Macro/Standard rectangular
3/HLT/GS	Q	10	8.5	10	12.5		115		8	10	70	3.5	Fluorimeter

Type 700. UHV Stopcock cells

- High vacuum patented stopcock.
- All cells will withstand evacuation <10⁻¹¹ Tor.
- PTFE threaded.
- Can be fused to most quartz cells.
- Stopcock itself can withstand
- pressure up to 5 bar $(5 \times 10^5 \text{ Pa})$. • For cell pressure guidance; please enquire.








Type No.	Window Material	Path Length	L	Extern W	al H	ID.	Side o OD.	arm Length	Remarks
700/1	Q	10	12.5	12.5	≈135/150	10	13	50	Type 1 Macro
700/3	Q	10	12.5	12.5	≈135/150	10	13	50	Type 3 Fluorimeter
700/9	Q	10	12.5	12.5	≈135/150	10	13	50	Type 9 Semi micro
700/18	Q	10	12.5	12.5	≈135/150	10	13	50	Type 18 Micro
700/32	Q	10	22.5	22Ø	≈135/150	10	13	50	Type 32 Cylindrical
700/32	Q	20	22.5	22Ø	≈135/150	10	13	50	Type 32 Cylindrical
700/32	Q	40	42.5	22Ø	≈135/150	10	13	50	Type 32 Cylindrical
700/32	Q	50	52.5	22Ø	≈135/150	10	13	50	Type 32 Cylindrical
700/32	Q	100	102.5	22Ø	≈135/150	10	13	50	Type 32 Cylindrical
700/35	Q	50	52.5	50Ø	≈135/150	10	13	50	Type 35 Cylindrical
700/35	Q	100	102.5	50Ø	≈135/150	10	13	50	Type 35 Cylindrical

700/1/Q/10





Rectangular Anærobic with screw cap (GL14)

- Closed by screw cap or septum cap.
- GL14/C closed cap.
- GL14/S septum cap to allow filling, extraction or gas flow with syringe needle(s) through the silicone seal.
- Septum aperture diameter 9mm.
- Cap withstands pressure up to 5x10⁵ Pa (5 bar).
- GL14 can be fused to most rectangular and cylindrical cells with Plain cap GL14/C either one or two ports. Particularly suitable for stopping evaporation in cells used for stirring eg. 9/MS/GL14/Q/10.

Туре	Window	Path	Internal	E	xtern	al	Nominal	Remarks
No.	Materials	Length	Width	L	W	Н	Vol. ml	
1/GL14	SOG, Q, I	1	10	3.5	12.5	66	0.400	Macro/Rectangular
1/GL14	SOG, Q, I	2	10	4.5	12.5	66	0.800	Macro/Rectangular
1/GL14	SOG, Q, I	5	10	7.5	12.5	66	1.600	Macro/Rectangular
1/GL14	SOG, Q, I	10	10	12.5	12.5	66	3.500	Macro/Rectangular
9/GL14	SOG, Q, I	10	4	12.5	12.5	66	1.400	Semi-micro
9/B/GL14	Q, I	10	4	12.5	12.5	66	1.400	Semi-micro. Self masking
18/GL14	SOG, Q, I	10	2	12.5	12.5	66	0.700	Micro
18/B/GL14	Q, I	10	2	12.5	12.5	66	0.700	Micro. Self masking
3/GL14	SOG, Q, 📘	10	10	12.5	12.5	66	3.500	Fluorimeter
9-F/GL14	Q	10	10	12.5	12.5	66	1.400	Semi-micro. Fluorescent
18-F/GL14	Q	10	10	12.5	12.5	66	0.700	Micro. Fluorescent
16. **/GL1	4 Q	10	10	12.5	12.5	66	**all volumes	Sub-micro.
16. **-F/G	L14 Q	10	10	12.5	12.5	66	**all volumes	Sub-micro.

Cylindrical Anærobic with screw cap(s) (GL14)

• GL14 can be fused to most cylindrical cells with either one or two ports.

Type No.	Window Materials	Path Length	External Length	Internal Diameter	Nominal Vol. ml
32/GL14	SOG, <mark>PX</mark> , Q, <mark>I, S</mark> X	10	12.5	19	2.800
32/GL14	SOG, PX, Q, I, SX	20	22.5	19	5.600
32/GL14	SOG, PX, Q, I, SX	50	52.5	19	14.100
32/GL14	SOG, PX, Q, I, SX	100	102.5	19	28.200
34/GL14	SOG, PX, Q, I	50	52.5	19	14.100
34/GL14	SOG, <mark>PX, Q, I</mark>	100	102.5	19	28.200

Rectangular Anærobic for use with rubber septa seal


• SBT10.15 tops suitable for rubber septa seal for Anærobic environments. Tubing 15mm long, 10mm I.D.

Type No.		'indow aterials	Path Length	Internal Width	E	xtern W	al H	Tube D. OD. L	Nominal Vol. ml	Remarks
1/SBT10	.15	Q, I	10	10	12.5	12.5	59	10 13 15	3.500	Macro/Standard rectangular
3/SBT10	.15	Q, I	10	10	12.5	12.5	59	10 13 15	3.500	Fluorimeter
9/SBT10	.15	Q, I	10	4	12.5	12.5	59	10 13 15	1.400	Semi-micro
18/SBT10	.15	Q, I	10	2	12.5	12.5	59	10 13 15	0.700	Micro

Rectangular with small screw cap (ST)


- Closed with screw cap, with or without septum aperture.
- Outside diameter of cap is less than the cross-section of the cell.
- Septum aperture diameter 6mm.
- **ST/C** closed cap.
- ST/S septum cap to allow filling, extraction or gas flow with syringe needle(s) through silicone seal which has a PTFE face.


Type No.	Window Materials	Path Length	Internal Width	E: L	dern W	al H	Nominal Vol. ml	Remarks
1/ST	Q, I	10	10	12.5	12.5	58	3.500	Macro/Standard rectangular
1.30/ST	Q	10	10	12.5	12.5	43	2.800	For Reference Adaptor Plate
3/ST	Q, I	10	10	12.5	12.5	58	3.500	Fluorimeter
9/ST	Q, I	10	4	12.5	12.5	58	1.400	Semi-micro
18/ST	Q , I	10	2	12.5	12.5	58	0.700	Micro



Septum cap


GL14/S





9/GI 14/S/Q/10

18/GI 14/S/Q/10




1/GL14/S/Q/10

3/GL14/S/Q/10

G = Optical Glass 334-2500nm SOG = Special Optical Glass 320-2500nm F	PX = Borosilicate 325-2500nm HH = UV Silica 220-2500nm
Q = Far UV Quartz 170-2700nm I = Near Infra-Red Quartz 220-3800nm	SX = Far UV to Near IR Quartz (Water free) 170-3500nm

Type 126 & 128. Anærobic. Standard Rectangular 126-F & 128-F Fluorimeter

- Two polished windows except 126-F and 128-F have four windows and base polished.
- Reservoir has ground cone with evacuation hole to line up with socket outlet tube.
- Reservoir volume ≈1.5ml.
- Type 126 Evacuation tube is 3mm I.D., 5mm O.D. and 30mm long.
- Type 128 Evacuation tube is 4mm I.D., 6mm O.D. and 30mm long.
- Socket assembly can be fused to other rectangular cells on request.




Type No.	Window Materials	Path Length	Internal Width	E	xtern W	al H	Nominal Vol. ml	Remarks
126 &126-F	SOG, Q, I	2	2	4.5	12.5	70	0.700	Macro/Standard Rectangular. Short socket. Fluorimeter
126 & 126-F	SOG, Q, I	5	5	7.5	12.5	70	1.750	Macro/Standard Rectangular. Short socket. Fluorimeter
126 & 126-F	SOG, Q, I	10	10	12.5	12.5	70	3.500	Macro/Standard Rectangular. Short socket. Fluorimeter
128 & 128-F	SOG, Q, I	2	2	4.5	12.5	120	0.700	Macro/Standard Rectangular. Extended socket. Fluorimeter
128 & 128-F	SOG, Q, I	5	5	7.5	12.5	120	1.750	Macro/Standard Rectangular. Extended socket. Fluorimeter
128 & 128-F	SOG, Q, I	10	10	12.5	12.5	120	3.500	Macro/Standard Rectangular. Extended socket. Fluorimeter

Type 20/O. Short path length. Demountable, open-ended

- One end open when assembled.
- Two polished windows.
- Intended for use with Type CH/2049 cell holder. (see page 28)

Туре	Window	Path	Inte	ernal		Externa	Nominal	
No.	Materials	Length	W	Н	L	W	Н	Vol. ml
20/0	Q, I	0.01	10	43.5	2.5	12.5	45	0.004
20/O	Q, I	0.05	10	43.5	2.5	12.5	45	0.020
20/O	Q, I	0.1	10	43.5	2.6	12.5	45	0.040
20/O	Q, I	0.2	10	43.5	2.7	12.5	45	0.080
20/O	Q, I	0.5	10	43.5	3.0	12.5	45	0.190
20/O	G, SOG, Q, I	1	10	43.5	3.5	12.5	45	0.390



Type 20/C & Type 30. Short path length. Demountable, closed


- Totally enclosed when assembled.
- Two polished windows.
- Type 20/C intended for use with Type CH/2049 cell holder. (see page 28)

Type No.	Window Materials	Path Length	Inte W	rnal H	L	Extern W	al H	O.D.	I.D.	Thickness	Nominal Vol. ml
20/C	Q	0.008	8	38	2.5	12.5	45				0.002
20/C	Q, I	0.01	8	38	2.5	12.5	45				0.003
20/C	Q, I	0.05	8	38	2.5	12.5	45				0.015
20/C	Q, I	0.1	8	38	2.6	12.5	45				0.030
20/C	Q, I	0.2	8	38	2.7	12.5	45				0.060
20/C	Q, I	0.5	8	38	3.0	12.5	45				0.150
20/C	G, SOG, Q, I	1	8	38	3.5	12.5	45				0.310
30	Q	0.01						22	16	2.5	0.002
30	Q	0.1						22	16	2.6	0.020
30	Q	0.2						22	16	2.7	0.040
30	Q	0.5						22	16	3.0	0.100

Type 45 & 45-F. Flow cells. In-line or microscope analysis

- Type 45 two polished windows. Type 45-F has four polished windows.
- Tubes may be bent at angles to sample compartment if required.
- Up to 2mm Path length. Inlet/Outlet tubes 2mm I.D., 4mm O.D. x 25mm long.
- Up to 5mm Path length. Inlet/Outlet tubes 5mm I.D., 7mm O.D. x 25mm long.


Type No.	Window Material	Path Length	Internal Width	L	Exter W	nal H	Nominal Vol. ml
45 & 45-F	Q	0.1	10	2.6	12.5	40 + tubes	0.040
45 & 45-F	Q	0.2	10	2.7	12.5	40 + tubes	0.080
45 & 45-F	Q	0.5	10	3.0	12.5	40 + tubes	0.200
45 & 45-F	Q	1.0	10	3.5	12.5	40 + tubes	0.400
45 & 45-F	Q	2.0	10	4.5	12.5	40 + tubes	0.800
45 & 45-F	Q	5.0	10	7.5	12.5	40 + tubes	4.000



Type 46, 46-F Fluorimeter & 47 Flow cells. In-line

- Two polished windows. Type 46-F have 4 windows and base polished.
- Tubulations intended for push-on flexible tubing.
- Profiled inlet and outlet
- Inlet/outlet tubes 2mm I.D., 4mm O.D. and 10mm long.
- TYPE 47/TC Screw-on connections


Type No.	Window Materials	Path Length	Internal Width	E: L	xterno W	al H	Nominal Vol. ml
Clear walls	;						
46 & 46-F	Q	0.5	10	12.5	12.5	65	0.185
46 & 46-F	Q	1	10	12.5	12.5	65	0.370
46 & 46-F	Q	2	10	12.5	12.5	65	0.740
46 & 46-F	Q	5	10	12.5	12.5	65	1.850
46 & 46-F	<mark>G,</mark> SOG, Q	10	10	12.5	12.5	65	3.700
Semi-micro	o. Clear walls						
47	<mark>G,</mark> SOG, Q	10	4	12.5	12.5	65	1.480
47/TC	Q	10	4	12.5	12.5	65	1.480
Semi-micro	. Self-masking	. Black walls	5				
47/B	Q	10	4	12.5	12.5	65	1.480



Type 48 Flow cells & Type 49 demountable Flow cells. Short path length

- Two polished windows.
- Inlet/outlet tubes 2 I.D, 4 O.D, 16mm long intended for push-on flexible tubing.
 Intended for use with Type CH/2049 cell holder. (see page 28)

Туре	Window	Path	Inte	ernal	E	xterno	al	Nominal		
No.	Materials	Length	W	Н	L	W	Н	Vol. ml		
48 or 49	Q, I	0.01	8	38	2.6	12.5	45	0.003		
48 or 49	Q, I	0.1	8	38	2.6	12.5	45	0.030		
48 or 49	Q, I	0.2	8	38	2.7	12.5	45	0.060		
48 or 49	Q, I	0.5	8	38	3.0	12.5	45	0.150		
48 or 49	G, SOG, Q, I	1	8	38	3.5	12.5	45	0.300		
48 or 49	G, SOG, Q, I	2	8	38	4.5	12.5	45	0.600		
48 or 49	G, SOG, Q, I	5	8	38	7.5	12.5	45	1.560		



Type 48-4 Flow cells & Type 49-4 demountable Flow cells. Short path length


- Two polished windows.
- Inlet/outlet tubes 2 I.D, 4 O.D, 16mm long intended for push-on flexible tubing.
- Intended for use with Type CH/2049 cell holder. (see page 28)


Туре	Window	Path	Int	Internal		Externa	ıl	Nominal
No.	Materials	Length	W	Н	L	W	Н	Vol. ml
48-4 or 49-4	Q, I	0.01	4	38	2.6	12.5	45	0.002
48-4 or 49-4	Q, I	0.1	4	38	2.6	12.5	45	0.015
48-4 or 49-4	Q, I	0.2	4	38	2.7	12.5	45	0.030
48-4 or 49-4	Q, I	0.5	4	38	3.0	12.5	45	0.075
48-4 or 49-4	G,SOG,Q, I	1	4	38	3.5	12.5	45	0.150
48-4 or 49-4	G,SOG,Q, I	2	4	38	4.5	12.5	45	0.300
48-4 or 49-4	G,SOG,Q, I	5	4	38	7.5	12.5	45	0.780



- Two polished windows.
- Aperture window 0.2mm (200 microns)
- For use with high magnification systems
- UTWA/2 has two thin window apertures, one in each window.

Type No.	Window Materials	Path Length	Internal Width	E	Extern W	al HDi	Internal a.	External Dia.
1/UTWA	Q		10	12.5	12.5	45	-	
1/UTWA2	Q	– All –	10	12.5	12.5	45	-	
45/UTWA	Q		10	12.5	12.5	45	-	-
45/UTWA2	Q	_ Path _	10	12.5	12.5	45	-	-
48/UTWA	Q		10	2.6	12.5	45	-	-
48/UTWA2	Q		10	2.6	12.5	45	-	-
32/UTWA	Q	Lengths	-	22.5	-	-	15	22
32/UTWA2	Q		-	22.5	-	-	15	22






Type 71, 71B, 71F, 72, 72B & 72F Flow cells. Standard and semi-micro

- 71, 71B, 72 & 72B have two polished windows.
- Long sample compartment suitable for all Z dimensions.
- Inlet/outlet tubes 2 I.D, 4 O.D, 16mm long intended for push-on flexible tubing.
- Also available with TC threaded connectors.
- 71-F & 72-F fluorescence cells have three polished windows.

Туре	Window	Path	Int	ernal		Extern	al	Nominal
No.	Materials	Length	W	Н	L	W	Н	Vol. ml
Clear wo	alls							
71	Q	10	7	37.5	12.5	12.5	48	3.000
71-F	Q	10	7	37.5	12.5	12.5	48	3.000
72	Q	10	4	37.5	12.5	12.5	48	1.800
72-F	Q	10	4	37.5	12.5	12.5	48	1.800
Self mas	king. Black wall	s						
71/B	Q	1	7	37.5	12.5	12.5	48	0.300
71/B	Q	10	7	37.5	12.5	12.5	48	3.000
72/B	Q	1	4	37.5	12.5	12.5	48	0.180
72/B	Q	10	4	37.5	12.5	12.5	48	1.800

Type 73.4. Flow cells. Dissolution, medium aperture

- Two polished windows.
- Inlet/outlet tubes - 2 I.D, 4 O.D, 10mm long intended for push-on flexible tubing.
- Cells with a Z height of 8.5mm have an overall height of 38.5mm.



78.5

									1
Type No.	Window Material	Path Length	Z Height	Inte W	ernal H	E	xtern W	al H	Nominal Vol. ml
73.4	Q	1	8.5, 15, 20	4	11	12.5	12.5	45	0.045
73.4	Q	2	8.5, 15, 20	4	11	12.5	12.5	45	0.090
73.4	Q	5	8.5, 15, 20	4	11	12.5	12.5	45	0.225
73.4	SOG, Q, <mark>S</mark> X	10	8.5, 15, 20	4	11	12.5	12.5	45	0.450
73.4	Q	20	8.5, 15, 20	4	11	22.5	12.5	45	0.900
73.4	Q	40	8.5, 15, 20	4	11	42.5	12.5	45	1.800
73.4	Q	50	8.5, 15, 20	4	11	52.5	12.5	45	2.250

Type 73.65 Flow cells. Dissolution, wide aperture

- Two polished windows.
- Inlet/outlet tubes 2 I.D, 4 O.D, 10mm long intended for push-on flexible tubing.
- Cells with a Z height of 8.5mm have an overall height of 38.5mm.


Туре	Window	Path	Z	Inte	Internal		xtern	al	Nominal
No.	Material	Length	Height	W	Н	L	W	Н	Vol. ml
73.65	Q	1	8.5, 15, 20	6.5	11	12.5	12.5	45	0.072
73.65	Q	2	8.5, 15, 20	6.5	11	12.5	12.5	45	0.144
73.65	Q	5	8.5, 15, 20	6.5	11	12.5	12.5	45	0.360
73.65	Q	10	8.5, 15, 20	6.5	11	12.5	12.5	45	0.720
73.65	Q	20	8.5, 15, 20	6.5	11	22.5	12.5	45	1.440
73.65	Q	40	8.5, 15, 20	6.5	11	42.5	12.5	45	2.880
73.65	Q	50	8.5, 15, 20	6.5	11	52.5	12.5	45	3.600


Type 74.4 Flow cells. Dissolution. Short path length, long aperture

- Two polished windows.
- Path lengths of 0.5mm or less incorporate by-pass tubes to avoid back pressure and assist laminar flow through the sample compartment. Profiled sample compartment to optimise flow characteristics, reduces carry-over and bubble retention.
- Inlet/outlet tubes 2 I.D, 4 O.D, 10mm long intended for push-on flexible tubing.


Туре	Window	Path	Z	Inte	Internal		dern	al	Nominal
No.	Material	te <mark>rial Length Height W H</mark>		L	W	Н	Vol. ml		
74.4	Q	0.1	15	4	17.5	12.5	12.5	35	0.042
74.4	Q	0.2	15	4	17.5	12.5	12.5	35	0.049
74.4	Q	0.5	15	4	17.5	12.5	12.5	35	0.100
74.4	Q	1	15	4	17.5	12.5	12.5	35	0.135
74.4	Q	2	15	4	17.5	12.5	12.5	35	0.200











73.65/Q/40/Z20 73.65/Q/50/Z20



Advantages of Starna[®] Type 583, 584, 576, 577 & 585 series flow cells

(for 576, 577 & 583 see page 20)

- Fully fused body, accurately located in precisely formed extruded CNC drilled enclosure.
- Superior design, firm and accurate positioning of screw-in M6 gripper fittings with PTFE tubing, without reliance on the shear strength of intermediate bonding material.
- Polished top surface of the cell creates a positive seal with the PTFE face of the M6 gripper fitting, (see illustration), ensures a leak proof seal without dislodging the cell body or damaging the cell surface.
- A gap of ≈300 microns between the top of the cell body and the enclosure allows confirmation of a positive seal before use. Internally profiled inlet and outlet to each sample chamber optimises flow characteristic and performance, providing a smooth laminar flow wherever possible and reduces bubble retention.
- All cells are pressure tested to more than 5 bar after final assembly.
- Each cell is engraved with the path length and a unique identifying number, for full traceability throughout the manufacturing process.
- Cells with path lengths of less than 0.5mm or less are checked on a reference spectrophotometer before and after final assembly using an interference method. The path length is determined to an uncertainty better than 0.2 microns (0.0002mm). Path lengths of 0.5mm or greater are verified by physical measurement during the production processes.
- Flanged fittings, FEP tubing, and special adaptors Type TJ/G/038 for use with normal silicone tubing are available, see page 29.
- Short path length flow cells may be used as static short path length using a syringe and luer lock adaptor (see illustration).

Type 583.2.8 Flow cells. Dissolution. Micro aperture

- Two polished windows.
- M6 Screw-in connections.
- Profiled sample compartment to optimise flow characteristics, reduces carry-over and bubble retention.

Туре	Window	Path	Z	In	Internal		xtern	Nominal	
No.	Material	Length	Height	W	Н	L	W	Н	Vol. ml
583.2.8	Q	10	8.5, 15	2	8	12.5	12.5	35	0.160

Type 583.3.3. Flow cells. Sub-micro. Small aperture

- Two polished windows.
- Overflow tube attached to outlet side of cell.
- M6 fittings as described, included with cell.
- Also designed for use with luer lock fitting and syringe for introduction and extraction of sample.

	Window Materials	Path Length	Z Height	Inte W	rnal H			Nominal Vol.ml
583.3.3	3 Q	1	15	3	3	12.5	35	0.009
583.3.3	3 Q	2	15	3	3	12.5	35	0.018
583.3.3	3 Q	5	15	3	3	12.5	35	0.045

Type 583.4 & 583.4.14 Flow cells. **Dissolution. Medium Aperture**

• Two polished windows.

16

- M6 Screw-in connections.
- Profiled sample compartment to optimise flow characteristics, reduces carry-over and bubble retention.


Туре	Window	Path	Z	Inte	ernal	Exte	ernal	Nominal
No.	Materials	Eength	Height	W	Н	W	Н	Vol. ml
583.4.1	4 Q	1	15, 20	4	14	12.5	35	0.056
583.4.1	4 Q	2	15, 20	4	14	12.5	35	0.112
583.4.1	4 Q	5	15, 20	4	14	12.5	35	0.280
583.4.1	4 Q	10	15, 20	4	14	12.5	35	0.560
583.4	Q	5	8.5, 15, 20	4	11	12.5	35	0.225
583.4	Q	10	8.5, 15, 20	4	11	12.5	35	0.450
583.4	Q	20	8.5, 15, 20	4	11	12.5	35	0.900
583.4	Q	40	8.5, 15, 20	4	11	12.5	35	1.800
583.4	Q	50	8.5, 15, 20	4	11	12.5	35	2.250
583.4	Q	100	8.5, 15, 20	4	11	12.5	35	4.500












583.4/Q/100/78.5









Manufacturer	Z Dimension
Agilent®	15mm
Beckman®	8.5mm
Bio-Rad [®]	8.5mm
Eppendorf®	8.5mm
GBC [®]	15mm
Hewlett-Packard®	15mm
Hitachi [®]	8.5mm
Jasco®	12mm
Perkin-Elmer [®]	15mm
Pharmacia®	15mm
Scinco®	15mm
Shimadzu®	15mm
Spectronics®	8.5mm
Turner®	8.5mm
Varian® (Cary®/Agilen	t®) 20mm





Type 583.65 Flow cells. Dissolution. Wide aperture

- Two polished windows.
- Cells with a Z height of 20mm have overall an height of 40mm.
- Path lengths of 0.5mm or less incorporate by-pass tubes to avoid back pressure and assist laminar flow through the sample compartment.
- M6 Screw-in connections.
- Profiled sample compartment to optimise flow characteristics, reduce carry-over and bubble retention.



Туре	Window	Path	Z	Inte	ernal	E	xtern	al	Nominal
No.	Material	Length	Height	W	Н	L	W	Н	Vol. ml
583.65	Q	0.1	15, 20	6.5	11	12.5	12.5	35	0.029
583.65	Q	0.2	15, 20	6.5	11	12.5	12.5	35	0.036
583.65	Q	0.5	15, 20	6.5	11	12.5	12.5	35	0.072
583.65	Q	1	15, 20	6.5	11	12.5	12.5	35	0.072
583.65	Q	2	15, 20	6.5	11	12.5	12.5	35	0.290
583.65	Q	5	15, 20	6.5	11	12.5	12.5	35	0.360
583.65	Q	10	15, 20	6.5	11	12.5	12.5	35	0.720
583.65	Q	20	15, 20	6.5	11	22.5	12.5	35	1.400
583.65	Q	40	15, 20	6.5	11	42.5	12.5	35	2.900
583.65	Q	50	15, 20	6.5	11	52.5	12.5	35	3.600
583.65	Q	100	15, 20	6.5	11	102.5	12.5	35	7.200



Type 583.65.65 Flow cells. Dissolution. Wide square aperture

- Two polished windows.
- Cells with a Z height of 20mm have overall an height of 40mm.
- M6 Screw-in connections.
- Profiled sample compartment to optimise flow characteristics, reduces carry over and bubble retention.
- Aperture with reduced height and volume for specific instruments such as Agilent 8453 and Varian Cary 50.

Туре	Window	v Path Z Internal		E	xtern	Nominal			
No.	Material	Length	Height	W	Н	L	W	Н	Vol. ml
583.65.65	Q	1	15, 20*	6.5	6.5	12.5	12.5	35	0.076
583.65.65	Q	2	15, 20*	6.5	6.5	12.5	12.5	35	0.160
583.65.65	Q	5	15, 20*	6.5	6.5	12.5	12.5	35	0.210
583.65.65	Q	10	15, 20*	6.5	6.5	12.5	12.5	35	0.420




* When Z height is 20mm, external height is 40mm

Type 584.4 Flow cells. Dissolution. Short path length, long aperture

- Two polished windows.
- Long aperture.
- Path lengths of 0.5mm or less incorporate by-pass tubes to avoid back pressure and assist laminar flow through the sample compartment.
- M6 Screw-in connections.
- Profiled sample compartment to optimise flow characteristics, reduces carry over and bubble retention.

Туре	Window	Path	Z	In	ternal	E	xtern	Nominal	
No.	Material	Length	Height	W	н	L	W	Н	Vol. ml
584.4	Q	0.01	8.5,15,20*	4	17.5	12.5	12.5	35	0.036
584.4	Q	0.05	8.5,15,20*	4	17.5	12.5	12.5	35	0.039
584.4	Q	0.1	8.5,15,20*	4	17.5	12.5	12.5	35	0.041
584.4	Q	0.2	8.5,15,20*	4	17.5	12.5	12.5	35	0.047
584.4	Q	0.5	8.5,15,20*	4	17.5	12.5	12.5	35	0.095
584.4	Q	1	8.5,15,20*	4	17.5	12.5	12.5	35	0.120
584.4	Q	2	8.5,15,20*	4	17.5	12.5	12.5	35	0.240

* When Z height is 20mm, external height is 40mm



Type 76. Flow cells HPLC, round aperture with stainless steel tubes

- Two polished windows.
- Stainless steel inlet/outlet tubes.
- Cells with a Z height of 8.5mm have an overall height of 38.5mm.



Type No.	Window Materials	Path Length	Z Height	Internal Dia.	External L W H	Nominal Vol. ml	Stainles Inlet I.D. O.D.	s steel tube Outlet I.I		Length
76.1	Q	10	8.5, 15	1	12.5 12.5 45	0.008	0.25 1.6	0.5	1.6	100
76.15	SOG, Q	10	8.5, 15	1.5	12.5 12.5 45	0.018	1.0 1.6	1.0	1.6	100
76.2	SOG, Q	10	8.5, 15	2	12.5 12.5 45	0.040	1.0 1.6	1.0	1.6	100
76.3	SOG, Q	10	8.5, 15	3	12.5 12.5 45	0.080	1.0 1.6	1.0	1.6	100
										· · · · · · · · · · · · · · · · · · ·

Type 15. Micro aspiration

- Two polished windows.
- Open top.

- Filling and emptying with a pipette is recommended.

Type No.	Window	Path	Z	Inte	Internal		xtern	Nominal	
No.	Material	Length	Height	W	Н	L	W	Н	Vol. ml
15.50A	Q	10	8.5	-	13.5	12.5	12.5	15	0.050

Type 25. Micro & semi-micro. Vacuum suction/aspiration

- Two polished windows.
- Inlet/outlet tubes 2 I.D, 4 O.D, 10mm long intended for push-on flexible tubing.
- Funnel supplied with cell.


Type No.	Window Materials	Path Length	Internal W	Ex L	ternc W	il H	Base to Block (BB)	Nominal Vol. ml
Micro. Cl	ear walls							
25.2	SOG, Q	10	2	12.5	12.5	45	26	0.500
Micro. Blo	ack walls. Self-i	masking						
25.2/B	SOG, Q	10	2	12.5	12.5	45	26	0.500
Semi-mic	ro. Clear walls							
25.4	SOG, Q	10	4	12.5	12.5	45	26	1.000
Semi-mic	ro. Black walls.	Self-masking	3					
25.4/B	SOG, Q	10	4	12.5	12.5	45	26	1.000
25.4.18/	B SOG, Q	10	4	12.5	12.5	64	44	0.750

Type 28-AS. Micro, suction outlet Type 29-AS. Semi-micro, suction outlet

• Two polished windows.

Inlet/outlet tubes - 2 I.D, 4 O.D, 10mm long intended for push-on flexible tubing.
Funnel supplied with cell.

1	Window Materials	Path Length	Internal W	E× L	terno W		Base to Tube(BT)	Nominal Vol. ml
Micro. Cleo	ar walls							
28-AS	SOG, Q	10	2	12.5	12.5	48	31	0.500
Micro. Blac	k walls. Self-r	masking						
28-AS/B	SOG, Q	10	2	12.5	12.5	48	31	0.500
Semi-micro	o. Clear walls							
29-AS	SOG, Q	10	4	12.5	12.5	48	31	1.000
Semi-micro	. Black walls.	Self-masking	g					
29-AS/B	SOG, Q	10	4	12.5	12.5	48	31	1.000
29/AS60/B	Q	10	4	12.5	12.5	60	46.5	1.200
29/AS70/B	SOG, Q	10	4	12.5	12.5	70	55	1.800





18

Type 75.1, 75.15 Flow cells. Ultra-micro, round aperture

- Two polished windows.
- Cells with a Z height of 8.5mm have an overall height of 38.5mm.
- Bore specially treated to reduce bubble formation and/or retention.
- Inlet/outlet tubes 2 I.D, 4 O.D, 10mm long intended for push-on flexible tubing.

Type No.	Window Material	Path Length	Z Height	Internal Dia.	Extern L W	al H	Nominal Vol. ml
75.1	Q, SX	5	8.5,15	1	12.5 12.5	35	0.036
75.1	SOG, Q, SX	10	8.5,15	1	12.5 12.5	35	0.039
75.15	Q, SX	1	8.5,15	1.5	12.5 12.5	35	0.041
75.15	Q, SX	2	8.5,15	1.5	12.5 12.5	35	0.047
75.15	Q, SX	5	8.5,15	1.5	12.5 12.5	35	0.095
75.15	SOG, Q, <mark>S</mark> X	10	8.5,15	1.5	12.5 12.5	35	0.120
75.15	Q, SX	20	8.5,15	1.5	22.5 12.5	35	0.240
75.15	Q, SX	50	8.5,15	1.5	52.5 12.5	35	0.600

Type 75.2 Flow cells. Sub-micro, round aperture

- Two polished windows.
- Cells with a Z height of 8.5mm have an overall height of 38.5mm.
- Bore specially treated to reduce bubble formation and/or retention.
- Inlet/outlet tubes 2 I.D, 4 O.D, 10mm long intended for push-on flexible tubing.


Туре	Window	Path	7	Internal	F	Nominal		
No.	Material	Length	Height	Dia.	L	xtern W	Н	Vol. ml
75.2	SOG, <mark>Q</mark> , <mark>S</mark> X	2	8.5,15	2	12.5	12.5	45	0.007
75.2	SOG, Q, <mark>S</mark> X	5	8.5,15	2	12.5	12.5	45	0.016
75.2	SOG, Q, <mark>S</mark> X	10	8.5,15	2	12.5	12.5	45	0.032
75.2	SOG, Q, <mark>S</mark> X	40	8.5,15	2	42.5	12.5	45	0.128


Type 75.3 Flow cells. Round aperture

• Two polished windows.


Туре No. 75.3 75.3 75.3 75.3 75.3/TC 75.3 75.3 75.3 75.3

- Cells with a Z height of 8.5mm have an overall height of 38.5mm.
- Bore specially treated to reduce bubble formation and/or retention.
- Inlet/outlet tubes 2 I.D, 4 O.D, 10mm long intended for push-on flexible tubing





0.700





51		ig.	I							
	Window Material			Nominal Vol. ml	Remarks					
	SOG, Q	1	8.5,15	3	1	12.5	12.5	45	0.007	
	SOG, Q	2	8.5,15	3	2	12.5	12.5	45	0.014	
	SOG, Q	5	8.5,15	3	5	12.5	12.5	45	0.035	
	SOG, Q, <mark>SX</mark>	10	8.5,15	3	10	12.5	12.5	45	0.070	
	Q	10	15, 20	3	10	12.5	12.5	45	0.070	Screw-on connections
	SOG, Q	20	8.5,15	3	20	22.5	12.5	45	0.140	
	SOG, Q	40	8.5,15	3	40	42.5	12.5	45	0.280	
	SOG Q	50	8515	3	50	52 5	12.5	45	0.350	

Type 75.1-V Flow cells. Ultra-micro, sub-micro, round aperture vacuum/debubbler

102.5

12.5 45

100

• Two polished windows.

SOG, Q


- Cells with a Z height of 8.5mm have an overall height of 38.5mm.
- Bore specially treated to reduce bubble formation and/or retention.
- Inlet/outlet tubes 2 I.D, 4 O.D, 10mm long intended for push-on flexible tubing.

8.5,15

• Third outlet debubbler tube - 2 I.D, 4 O.D, 10mm long.


100

Type No.	Window Material	Path Length	Z Height	Internal Dia.	E	xtern W	al H	Nominal Vol. ml
75.1-V	Q	10	8.5,15	1	12.5	12.5	45	0.008
75.2-V	Q	10	8.5,15	2	12.5	12.5	45	0.040



75.1-V/O/10





75 15/0/50/715

Type 576 Ultra micro, round aperture with stainless steel tubes

- Two polished windows.
- Bore specially treated to reduce bubble formation and/or retention.
- Stainless steel inlet/outlet tubes. Nominal length 100mm.

Туре	Window	Path	Z	Internal	Externa	I	Nominal	Stai	nles	s steel tubes		
No.	Material	Length	Height	Dia.	LW	Н	Vol. ml	Inlet I.D. O	.D.	Outlet I.D. (D.D	. L
576.15	SOG, Q	10	8.5	1,5	12.5 12.5	35	0.018	1.0 1	.6	1.0	1.6	100
576.20	SOG, Q	10	8.5	2,0	12.5 12.5	35	0.032	1.0 1	.6	1.0	1.6	100

Type 577 Ultra micro round aperture

- Two polished windows.
- Bore specially treated to reduce bubble formation and/or retention.
- M6 screw-in connections.
- Long body or short body 576.15/S.

Type No.	Window Material	Path Length	Z Height	Internal Dia.	E	xtern W	al H	Nominal Vol. ml
577.15	SOG	10	8.5	1,5	12.5	12.5	35	0.018
577.15/S	SOG	10	8.5	1,5	12.5	12.5	35	0.018

Type 585.1, 585.15 Flow cells. Ultra-micro, round aperture

- Two polished windows.
- Bore specially treated to reduce bubble formation and/or retention.
- M6 screw-in connections.

Type	Window	Path	Z	Internal	E	xtern	al	Nominal
No.	Material	Length	Height	Dia.		W	H	Vol. ml
585.1 585.15	SOG, Q SOG, Q	10 10	8.5,15, 20* 8.5,15, 20*	1 1.5		12.5 12.5		0.008

* When Z height is 20mm, external height is 40mm

Type 585.2 Flow cells. Sub-micro, round aperture


- Two polished windows.
- Bore specially treated to reduce bubble formation and/or retention.
- M6 screw-in connections.


Type	Window	Path	Z	Internal	E	xtern	al	Nominal
No.	Material	Length	Height	Dia.		W	H	Vol. ml
585.2	SOG, <mark>Q</mark> , <mark>S</mark> X	10	8.5,15, 20*	2	12.5	12.5	35	0.032

* When Z height is 20mm, external height is 40mm


Type 585.3 Flow cells, round aperture

- Two polished windows.
- Bore specially treated to reduce bubble formation and/or retention.
- M6 screw-in connections.










585.3/Q/100/715

Z8.5

585.1/Q/10/Z8.5

577 15/S/SOG/10/78 5



Z Dimension per instrument

1	
Manufacturer	Z Dimension
Agilent®	15mm
Beckman®	8.5mm
Bio-Rad [®]	8.5mm
Eppendorf®	8.5mm
GBC [®]	15mm
Hewlett-Packard®	15mm
Hitachi®	8.5mm
Jasco®	12mm
Perkin-Elmer®	15mm
Pharmacia®	15mm
Scinco®	15mm
Shimadzu®	15mm
Spectronics®	8.5mm
Turner®	8.5mm
Varian® (Cary®/Agilent®) 20mm

Type No.	Window Material	Path Length	Z Height	Internal Dia.	Extern L W	nal H	Nominal Vol. ml
585.3	SOG, Q	10	8.5,15, 20*	3	12.5 12.5	35	0.070
585.3	SOG, Q	20	8.5,15, 20*	3	22.5 12.5	35	0.140
585.3	SOG, Q	40	8.5,15, 20*	3	42.5 12.5	35	0.280
585.3	SOG, Q	50	8.5,15, 20*	3	52.5 12.5	35	0.350
585.3	SOG, Q	100	8.5,15, 20*	3	102.5 12.5	35	0.700

* When Z height is 20mm, external height is 40mm





577.15/SOG/10/78.5



Type 3. Fluorimeter. Macro/Standard Rectangular


- Open top, with non-sealing PTFE cover.
- Polyethylene vaned lid available on request for 10mm cells only, providing a liquid-tight seal.
- Four windows and base polished.

Type No.	Windov Materic		Path Length	Internal Width	E	xtern W	al H	Nominal Vol. ml
3		Q	2	10	4.5	12.5	45	0.800
3	G,SOG,	Q,I,SX	5	10	7.5	12.5	45	1.70
3	G,SOG,P	X,Q,I,SX	10	10	12.5	12.5	45	3.500
3	<mark>G,</mark> SOG,	Q,I	20	10	22.5	12.5	45	7.000
3	G,SOG,	Q,I	40	10	42.5	12.5	45	14.000
3	G,SOG,	Q,I	50	10	52.5	12.5	45	17.500
3	G,SOG,	Q,I,SX	100	9.5	102.5	12.5	45	35.000
3.18		Q	18	18	22	22	50	14.600
3.26		Q	26	26	30	30	50	30.500

Type 23. Fluorimeter with stopper(s). Macro/Standard Rectangular

• Closed by PTFE stopper(s), providing a liquid-tight seal.

Four	windows and bas	se polished.	0 1	* L	B = Lc	ong st	opper block
Type No.	Window Materials	Path Length	Internal Width	E	xtern W	al H	Nominal Vol. ml
23	G SOG O I SX	5	10	75	12.5	48	1 700



2 3/0/40 23/0/5 23/0/10 23-I B/Q/10 23/0/20

Short

3-3.30/Q/3

3-3.45/Q/3

3-5.45/0/5

23-1.45/Q/1 23-2.45/Q/2

3-1.45/Q/1 3-2.45/Q/2

Type 9-F & 29-F Fluorimeter. Semi-micro. Type 17-F, 18-F & 28-F Fluorimeter. Micro

- Fits 12.5mm square cell holder.
- Four windows and base polished.
- Type 9-F, 17-F & 18-F have open top with non-sealing PTFE cover.
- Type 28-F & 29-F are closed by PTFE stopper, providing a liquid-tight seal.
- Base thickness 3mm
- Suitable for use with all standard cell holders.

0011010								
Type No.	Window Materials	Path Length	Internal Width	E	xtern W	al H	Nominal Vol. ml	Remarks
9-F	SOG, Q	10	4	12.5	12.5	45	1.400	Semi-micro with lid
29-F	SOG, Q	10	4	12.5	12.5	48	1.400	Semi-micro with stopper
17-F	G, Q	10	2	12.5	12.5	25	0.400	Micro with lid
18-F	SOG, Q	10	2	12.5	12.5	45	0.700	Micro with lid
28-F	SOG, Q	10	2	12.5	12.5	48	0.700	Micro with stopper


Type 3-. Fluorimeter. Micro. Type 23-. Fluorimeter. Micro, with stopper 9


• Four polished windows.

www.starna.com

 This range of micro fluorimeter cells is specially designed to be used with the FCA adaptors. The appropriate adaptor for the path length correctly aligns the cell in a standard 12.5mm square cell holder to maximise excitation and emission energy utilisation.

Type No.	Window Materials	Path Length	Internal Width		tern W	al H	Adaptor	Nominal Vol. ml
Square ope	en top							
3-1.45	Q	1	1	3.5	3.5	45	FCA1	0.035
3-2.45	SOG, Q	2	2	4.5	4.5	45	FCA2	0.140
3-3.30	SOG, Q	3	3	5.5	5.5	30	FCA3.30	0.225
3-3.45	SOG, Q	3	3	5.5	5.5	45	FCA3	0.315
3-4.45	SOG, Q	4	4	6.5	6.5	45	FCA4	0.560
3-5.45	SOG, Q	5	5	7.5	7.5	45	FCA5	0.875
With stopp	er							
23-1.45	Q	1	1	3.5	3.5	48	FCA1	0.031
23-2.45	SOG, Q	2	2	4.5	4.5	48	FCA2	0.125
23-3.45	SOG, Q	3	3	5.5	5.5	48	FCA3	0.280
23-4.45	SOG, Q	4	4	6.5	6.5	48	FCA4	0.500
23-5.45	SOG, Q	5	5	7.5	7.5	48	FCA5	0.780







23/0/50



23-3.45/Q/3

23-4.45/0/4





Type 3-. Fluorimeter. Micro, supplied without lid Type 23-4. Fluorimeter. Micro with stopper

- Open top cell.
- **Type 23-4** is closed by PTFE stopper, providing a liquid-tight seal.
- Four windows and base polished.

Type No.	Window Materials	Path Length	Internal Width	E	xtern W	al H	Nominal Vol. ml
3-3	SOG, Q	3	3	5.5	5.5	30	0.270
3-4	SOG, Q	4	4	6	6	50	0.720
3-5	SOG, Q	5	5	6.8	6.8	40	0.875
23-4	SOG, Q	4	4	6	6	50	0.720

Type 11. Open top.Type 22 with stopper. Fluorimeter. Micro.

- Open top cell.
- Type SBT15 with 10mm I.D. tube for rubber septa seal for Anærobic environments.
- All sides and base polished.

Type No.	Window Materials	Path Length	Internal Width	E	xtern W	al H	Nominal Vol. ml
11.1	Q	1	1	12.5	12.5	45	0.040
11.2	Q	2	2	12.5	12.5	45	0.160
11.3	Q	3	3	12.5	12.5	45	0.360
22.1	Q	1	1	12.5	12.5	48	0.040
22.2	Q	2	2	12.5	12.5	48	0.160
22.3	Q	3	3	12.5	12.5	48	0.360
11.1/SBT15	Q	1	1	12.5	12.5	59	0.040
11.2/SBT15	Q	2	2	12.5	12.5	59	0.160
11.3/SBT15	Q	3	3	12.5	12.5	59	0.360

Type 16-F & 26-F. Fluorimeter. Sub-micro

- Three polished windows.
- Sub-micro volumes from 10μ l to 160μ l.
- Type 16 has a top; comprising two black walls, ۲ two translucent side walls and a square internal cross section.
- Open top, supplied with non-sealing PTFE cover as well as a
- vaned lid to provide a liquid-tight seal. • To avoid possible meniscus errors; it may be necessary to
- increase the nominal sample fill volume by at least 20%.
- May be used with all standard cell holders.
- Filling and emptying with a pipette is recommended.
- Type 16.10-F4 has four polished windows.


Туре	Window	Path	Z	Inte	ernal	Emissior	ו window	E	xterno	ıl	Nominal
No.	Material	Length	Height	W	Н	W	Н	L	W	Н	Vol.ml
Square ope	en top										
16.10-F	Q	10	8.5,15, 20	1	1	10	1	12.5	12.5	45	0.010
16.10-F4	Q	10	8.5,15, 20	1	1	10	1	12.5	12.5	45	0.010
16.12-F	Q	1.5	8.5,15, 20	1.5	5	1.5	5	12.5	12.5	45	0.012
16.40-F	Q	10	8.5,15, 20	2	2	10	2	12.5	12.5	45	0.040
16.45-F	Q	3	8.5,15, 20	3	5	3	5	12.5	12.5	45	0.045
16.4.3-F	Q	10	8.5,15, 20	4	3	10	3	12.5	12.5	45	0.120
16.50-F	Q	10	8.5,15, 20	2	2.5	10	2.5	12.5	12.5	45	0.050
16.100-F	Q	10	8.5,15, 20	2	5	10	5	12.5	12.5	45	0.100
16.160-F	Q	10	8.5,15, 20	2	8	10	8	12.5	12.5	45	0.160
16.400-F	Q	10	8.5,15, 20	10	4	10	4	12.5	12.5	45	0.400
16.1000-F	Q	10	8.5,15, 20	10	10	10	10	12.5	12.5	45	1.000
With stopp		10	0.5.15.00	1	1	10		10.5	10.5	40	0.010
26.10-F	Q	10	8.5,15,20			10	1	12.5	12.5	48	0.010
26.12-F	Q	1.5	8.5,15, 20	1.5	5	1.5	5	12.5	12.5	48	0.012
26.40-F	Q	10	8.5,15, 20	2	2	10	2	12.5	12.5	48	0.040
26.45-F	Q	3	8.5,15, 20	3	5	3	5	12.5	12.5	48	0.045
26.4.3-F	Q	10	8.5,15, 20	4	3	10	3	12.5	12.5	48	0.120
26.50-F	Q	10	8.5,15, 20	2	2.5	10	2.5	12.5	12.5	48	0.050
26.100-F	Q	10	8.5,15, 20	2	5	10	5	12.5	12.5	48	0.100
26.160-F	Q	10	8.5,15, 20	2	8	10	8	12.5	12.5	48	0.160
26.400-F	Q	10	8.5,15, 20	10	4	10	4	12.5	12.5	48	0.400

Z Dimension for some fluorimeters Manufacturer Z Dimension Jasco® 18mm Molecular Devices® 15mm Perkin-Elmer® 15mm Pharmacia[®] 15mm PTI (Photo Technology)® 15mm Shimadzu® 15mm SLM/Spectronics® 15mm Hewlett-Packard® 15mm Spectra Max® 15mm 15mm Spex®

TSS®

11.3/Q/3





11.1/0/1



6.10-F/Q/10 16 12-E/O/1 5

16.4.3-F/Q/10














26.45-F/Q/3



22

16.45-F/Q/3

Type 19.05F/L/Q/5/Z../MC Ultra-micro lens cell


- Four polished windows, with windows opposite the emission and excitation windows mirror coated to increase performance.
- **Type 19.05F/L** is a patented design with integral lens primarily designed for use with small cross section focussed beam instruments.
- The lens colimates the emission energy leaving the sample chamber onto the detector.
- Sample inserted and retrieved with micro pipette tip.

Type No.	Window	Path	Z	Inte	Internal		External			Remarks
No.	Material	Length	Height	W	Н	L	W	Н	Vol. ml	
19.05F/L	Q	5	8.5*,15, 20	1	1	12.5	12.5	45	0.0050	*Cell height-38.5mm

Type 4. Fluorimeter. Open top, Type 24 with stopper. Fluorimeter. Triangular

- Fits 12.5mm square cell holder.
- Three windows and base polished.
- Type 24/SB/B, self-masking.


Type No.	Window Material	Inte L	ernal W	E	xterno W	al H	Nominal Vol. ml	Remarks
Open top	o							
4-SB	Q	10	10	12.5	12.5	45	1.700	Square base
4-TB	Q	10	10	12.5	12.5	45	1.700	Triangular base
With stop	oper							
24-SB	Q	10	10	12.5	12.5	48	1.700	Square base
24-TB	Q	10	10	12.5	12.5	48	1.700	Triangular base
24-SB/B	Q	10	10	12.5	12.5	48	1.700	Z8.5, Z15, Z20



Type 52. with lid. Type 53 with stopper. Dual Path Length or Fluorimeter

- All windows and base polished.
- May be used as dual path length absorption cells or fluorimeter cells.
- Volumes equivalent to micro and semi-micro cells depending on internal width.

No.MaterialLengthWidthLWHVol.Open top 52 SOG,Q1 or 101 x 1012.512.5450.4 52 SOG,Q2 or 102 x 1012.512.5450.6 52 SOG,Q3 or 103 x 1012.512.5451.2 52 SOG,Q4 or 104 x 1012.512.5451.2 52 SOG,Q5 or 105 x 1012.512.5451.6 52 SOG,Q5 or 105 x 1012.512.5452.0With stopper53SOG,Q2 or 102 x 1012.512.5480.4 53 SOG,Q3 or 103 x 1012.512.5481.2 53 SOG,Q4 or 104 x 1012.512.5481.6 53 SOG,Q4 or 104 x 1012.512.5481.6 53 SOG,Q51051012.512.5481.6 53 SOG,Q66104 x 1012.512.5481.6	N		٦a	xterr	E	Internal	Path	Window	Туре
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	۷	Н		W	L	Width	Length	Material	No.
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								c	Open to
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		45		12.5	12.5	1 x 10	1or 10	SOG,Q	52
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		45		12.5	12.5	2 x 10	2 or 10	SOG,Q	52
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		45		12.5	12.5	3 x 10	3 or 10	SOG,Q	52
With stopper 53 SOG,Q 1 or 10 1 x 10 12.5 12.5 48 0.4 53 SOG,Q 2 or 10 2 x 10 12.5 12.5 48 0.4 53 SOG,Q 2 or 10 2 x 10 12.5 12.5 48 0.6 53 SOG,Q 3 or 10 3 x 10 12.5 12.5 48 1.2 53 SOG,Q 4 or 10 4 x 10 12.5 12.5 48 1.6		45		12.5	12.5	4 x 10	4 or 10	SOG,Q	52
53 SOG,Q 1 or 10 1 x 10 12.5 12.5 48 0.4 53 SOG,Q 2 or 10 2 x 10 12.5 12.5 48 0.4 53 SOG,Q 2 or 10 2 x 10 12.5 12.5 48 0.6 53 SOG,Q 3 or 10 3 x 10 12.5 12.5 48 1.2 53 SOG,Q 4 or 10 4 x 10 12.5 12.5 48 1.2		45		12.5	12.5	5 x 10	5 or 10	SOG,Q	52
53 SOG,Q 2 or 10 2 x 10 12.5 12.5 48 0.6 53 SOG,Q 3 or 10 3 x 10 12.5 12.5 48 1.2 53 SOG,Q 3 or 10 3 x 10 12.5 12.5 48 1.2 53 SOG,Q 4 or 10 4 x 10 12.5 12.5 48 1.6								oper	With stop
53 SOG,Q 3 or 10 3 x 10 12.5 12.5 48 1.2 53 SOG,Q 4 or 10 4 x 10 12.5 12.5 48 1.6		48		12.5	12.5	1 x 10	1 or 10	SOG,Q	53
53 SOG,Q 4 or 10 4 x 10 12.5 12.5 48 1.6		48		12.5	12.5	2 x 10	2 or 10	SOG,Q	53
		48		12.5	12.5	3 x 10	3 or 10	SOG,Q	53
		48		12.5	12.5	4 x 10	4 or 10	SOG,Q	53
53 SOG,Q 5 or 10 5 x 10 12.5 12.5 48 2.0		48		12.5	12.5	5 x 10	5 or 10	SOG,Q	53



. 50/∩/10

Type 55, 57 with lid & 56, 58 with stopper(s). Tandem, Divided, Mixing or Fluorimeter


- All windows polished except Type 55-1/Q/10.
- Types 55 and 56 are for measuring two samples in series in separate compartments.
- Types 57 and 58 are designed for mixing two samples after measuring in series.


Type No.	Window Material	Path Length	Internal Length	E: L	kterno W	al H	Nominal Vol. ml	Remarks
55	Q	2 x 10	2 x 4.375	12.5	12.5	45	2 x 1.500	Tandem or divided with lid
55-1	Q	2 x 10	2 x 10	23.75	12.5	45	2 x 3.500	Tandem or divided. Frosted sides. Open top
56	Q	2 x 10	2 x 4.375	12.5	12.5	48	2 x 1.500	Tandem or divided with stoppers
56 57	Q	2 x 10	2 x 4.375	12.5	12.5	45	2 x 1.000	Tandem mixing with lid
58	Q	2 x 10	2 x 4.375	12.5	12.5	48	2 x 1.000	Tandem mixing with stoppers

Type 59. Cube, Fluorimeter with tube

• Five windows polished

	Window	Path	Internal		terno			Tub		Nominal	
No.	Materials	Length	Width	L	W	Н	ID. C	DD.	Length	Vol. ml	
59	SOG, Q, I	10	10	12.5	12.5	48	2	4	70	1.00	







EMISSION

VINDOV

58/Q/10


Type 46-F, 47-F, 71-F & 72-F. Fluorimeter flow cells

- Four polished windows.
- Profiled inlet/outlet blocks.
- Inlet/outlet tubes 2 I.D, 4 O.D, 16mm long intended for push-on flexible tubing.
- TC Screw fittings see Type No. MCTC/1.0, page 29.
- For LTC Screw fittings see Type No. LTC/G/0.5, page 29.



F/Q/10 47-F/Q/1

1 1 2	Window Material		Inte W	rnal H	External Height	Nominal Vol. ml	Polished Windows	Remarks
46-F	Q	0.5	10	35	65	0.185	4	Short path
46-F	Q	1	10	35	65	0.350	4	Short path
46-F	Q	2	10	35	65	0.700	4	Short path
46-F	Q	5	10	35	65	1.750	4	Short path
46-F	Q	10	10	35	65	0.350	4	Macro
47-F	Q	10	4	35	65	1.600	4	Semi-micro
47-F/LTC	Q	10	4	35	65	1.600	4	Semi-micro with screw-on fittings
71-F	Q	10	7	37.5	48	3.000	3	Semi-micro
72-F	Q	10	4	37.5	48	1.800	3	Semi-micro
3-1.30/T	CQ	1	1	30	40	0.030	4	Micro with screw-on fittings
3-2.30/T	C Q	2	2	30	40	0.120	4	Micro with screw-on fittings
3-3.30/T	CQ	3	3	30	40	0.270	4	Micro with screw-on fittings



Type 73-F. Fluorimeter flow cells

- Three polished windows.
- Inlet/outlet tubes 2 I.D, 4 O.D, 16mm long intended for push-on flexible tubing.
- Cells with a Z height of 8.5mm have an overall height of 40mm.



3.4-F/Q/10/Z15 73.4-F/Q/10/Z8.5 73.65-F/Q/10/Z8.5 73.2-F/Q/10/Z8.5 73.3-F/Q/3/Z8.5 73.15-F/Q/1.5/Z8.5 73.1-F/Q/10/Z8.5

Type No.	Window Material	Path Length	Z Height	Inte W	rnal H	Emission W	window H	External Height	Nominal Vol.ml	Remarks
73.1-F	Q	10	8.5,15	1	11	10	11	45	0.010	Micro
73.2-F	Q	10	8.5,15	2	11	10	11	45	0.012	Micro
73.4-F	Q	10	8.5,15	4	11	10	11	45	0.040	Semi-micro
73.65-F	Q	10	8.5,15	6.5	11	10	11	45	0.045	
73.1.8-F	Q	1	8.5,15	1	8	11	8	45	0.080	Ultra-micro
73.15-F	Q	1.5	8.5,15	1.5	11	1.5	11	45	0.050	Micro
73.3-F	Q	3	8.5,15	3	11	3	11	45	0.100	semi-micro


Type 583-F. Fluorimeter flow cells

- Three polished windows.
- M6 screw-in connections.
- Cells with a Z height of 20mm have an overall height of 40mm.

Туре	Window	Path	Z	Inte	ernal	Emission	window	E	xtern	al	Nominal
No.	Material	Length	Height	W	Н	W	Н	L	W	Н	Vol.ml
583.2.2-	-F Q	10	15, 20	2	2	7	2	12.5	12.5	35	0.040
583.4.2-	-F Q	10	15, 20	4	2	7	2	12.5	12.5	35	0.080
583.1-F	Q	1	15	1	11	1	11	12.5	12.5	35	0.011
583.3-F	Q	3	15	3	11	3	11	12.5	12.5	35	0.100
583.4-F	Q	10	15	4	11	7	11	12.5	12.5	35	0.440

Type 73-F/SS & 583-F Fluorimeter flow cells, HPLC

- Three polished windows.
- Stainless steel inlet/outlet tubes.
- Type 73 cells with a Z height of 8.5mm have an overall height of 38.5mm.
- Type 583 cells with a Z height of 20mm have an overall height of 40mm.



~ 583.2.2-F/Q/10/Z1

73.1-F/SS/Q/1/Z8.5 73.1-F/SS/Q/1/Z15 73.15-F/SS/Q/1.5/Z15

73.3-F/SS/Q/3/Z15 583.1-F/SS/Q/1/Z15 583.3-F

583.1-F/0/1/715

Type No.	Window Material	Path Length	Z Height	Inter W	rnal H	E	xterr W	al H	Emission W	window H	Nominal Vol. ml			s steel tubes Outlet I.D.O.D.	Length
73.1-F/S	S Q	1	8.5, 15	1	11	12.5	12.5	45	1	11	0.011	0.25	1.6	0.50 1.6	100
73.15-F/	'SS Q	1.5	8.5, 15	1.5	11	12.5	12.5	45	1.5	11	0.025	1.0	1.6	1.0 1.6	100
73.3-F/S	S Q	3	8.5, 15	3	11	12.5	12.5	45	3	11	0.100	1.0	1.6	1.0 1.6	100
583.1-F/	SS Q	1	15, 20	1	11	12.5	12.5	35	1	11	0.011	0.25	1.6	0.50 1.6	100
583.3-F/	SS Q	3	15, 20	3	11	12.5	12.5	35	3	11	0.100	1.0	1.6	1.0 1.6	100

Z8.5

Type 61-F, 62-F, 63-F. Water-jacketed Fluorimeter cells

- Inlet/outlet tubes 2 I.D, 4 O.D, 10mm long intended for push-on flexible tubing.
- Stopper length on 61-F and 62-F, 20mm.
- Types 62-F and 63-F have emission windows 4.5mm x 22mm long.
- Base window 4.5mm x 4.5mm.

Туре	Window	Path	Inte	rnal	External	Nominal	Polished
No.	Material	Length	W	Н	Height	Vol. ml	Windows
61-F	Q	10	7.0	37	48	2.59	3
62-F	Q	10	4.5	37	48	1.66	5
63-F	Q	10	4.5	37	48	1.66	5

Type 61. Constant temperature with stopper Type 62 & 63. Constant temperature. Semi-micro Type 64. Constant temperature. Sub-micro

- Two polished windows.
- Type 64 sub-micro for heating small samples typically DNA.
- **Type 64** with Z15 overall height 45mm.
- Inlet/outlet tubes 2 I.D, 4 O.D, 10mm long intended for push-on flexible tubing.

Туре	Window	Path	Inte	rnal		Extern	nal	Overall	Nominal	Remarks
Ńo.	Material	Length	W	ΗL	W	Н	Height	Vol. ml		
61	Q	10	7	37.5	12.5	12.5	48	60	2.100	Vertical flow tubes
62	Q	10	4.5	40	12.5	12.5	48	60	1.520	Vertical flow tubes
63	Q	10	4.5	40	12.5	12.5	48	60	1.520	Horizontal flow tubes
64.160	Q	10	2	8	12.5	12.5	38.5	40	0.160	Z Height - 8.5 or15mm

Type 65. Cylindrical constant temperature, standard and short path length

- Two polished windows.
- Maximised surface area contact for temperature controlling medium throughout the range.
- Tubulations intended for push-on flexible tubing.
- Closed by PTFE stopper, providing a liquid-tight seal. (65 &100mm cells have two stoppers).


Type No.	Window Material	Path Length	Internal Dia.	Exterr Dia.	nal L	Overall Height	Nominal Vol. ml
65	Q	0.01	10	22	20	32	0.737
65	Q	0.1	10	22	20	32	0.747
65	Q	0.5	10	22	20	32	0.792
65	Q	1	10	22	20	32	0.849
65	Q	2	10	22	20	32	0.962
65	Q	5	10	22	20	32	1.300
65	Q	10	10	22	12.5	32	0.825
65	Q	20	10	22	22.5	32	1.650
65	Q	50	10	22	52.5	32	4.125
65	Q	100	10	22	102.5	32	8.250

Type 410&411. Flow through. Refractometer


- Three polished windows.
- Inlet/outlet bores for each chamber via special holders supplied by instrument manufacturers together with connectors and tubing.

Туре	Window	Path	Interr	nal	Ex	tern	al	Nominal
Ńо.	Material	Length	W	Н	L	W	Н	Vol. ml
410.03	SOG, Q	2.5	2.5	7	8	10	15	2 x 0.01
410.05	SOG, Q	2.5	2.5	7	8	10	15	2 x 0.01
410.10	SOG, Q	2.5	2.5	7	8	10	15	2 x 0.01
410.45	SOG, Q	2.6	2.6	7	8	10	15	2 x 0.01
411.45.1	SOG, Q	1	1	8	5.5	5	11	2 x 0.04
411.45.1	5 SOG, Q	1.5	1.5	8	5.5	5	11	2 x 0.09











Magnetic stirring


- Rectangular cells have a well for magnet location.
 Micro and semi-micro cells have a conical profile
- in walls for better mixing.
- One stir bar is supplied with each cell.
- For spare stirring bars (see page 28).

		_					
1/MS/Q/10	9/MS/Q/10	18/MS/Q/10	21/MS/Q/10	29/MS/Q/10	28/MS/Q/10	3/MS/Q/10	
							l
GD		ALLA I		H2B			
				1 YPP 1			
				RUD			ĺ
		\square		\cup		\bigcirc	¢
\sim	~		1		F 1	-	

6

Que de la composición de la composicinde la composición de la composición de la composición de la comp

lype	Window	Path	E E	zxterna		Nominal	Remarks
Ńo.	Materials	Length	L	W	Н	Vol. ml	
1/MS	SOG,Q	10	12.5	12.5	45	3.5	Macro
9/MS	SOG,Q	10	12.5	12.5	45	1.8	Semi-micro
18/MS	SOG,Q	10	12.5	12.5	45	0.9	Micro
21/MS	SOG,Q	10	12.5	12.5	48	3.5	Macro with stopper
29/MS	SOG,Q	10	12.5	12.5	48	1.8	Semi-micro with stopper
28/MS	SOG,Q	10	12.5	12.5	48	0.9	Micro with stopper
3/MS	SOG,Q	10	12.5	12.5	45	3.5	Macro fluorimeter
9-F/MS	Q	10	12.5	12.5	45	1.8	Semi-micro fluorimeter
18-F/MS	Q	10	12.5	12.5	45	0.9	Micro fluorimeter
23/MS	Q	10	12.5	12.5	48	3.5	Macro fluorimeter with stopper
29-F/MS	Q	10	12.5	12.5	48	1.8	Semi-micro fluorimeter with stopper
28-F/MS	Q	10	12.5	12.5	48	0.9	Micro fluorimeter with stopper



Type 39 Polarimeter. Standard and semi-micro, constant temperature,


- Easy filling and emptying.
- Extended manufacturing process to ensure that they are free from birefringence effects which could affect the accuracy of measurements.
- Also available with two round windows, 39.35/2R and 39.105/2R.
- Water jacketed 'WJ' available Q only, 100 & 200mm Path length.


	-					-
Type No.	Window Material	Path Length	Internal Dia.	Exter Dia.	nal L	Nominal Vol. ml
39.35	PX	10	4	6	14	0.098
39.35	PX	50	4	6	54	0.490
39.35	PX	100	4	6	104	0.980
39.105	PX	10	10	12	14	0.890
39.105	PX	50	10	12	54	4.350
39.105	PX	100	10	12	104	8.700
39.105/W	JQ	100	10	12	104	8.700
39.105/W	JQ	200	10	12	204	18.000


Type 300. Dye laser

- Dye laser cells are made with extreme accuracy having a surface flatness which extends all the way to the edge of the cell.
- Many of the fluorescent type of cells illustrated in this catalogue may be used for laser applications, however, to ensure their optical flatness, they are polished to more exacting tolerances.
- All **Type 300** cells have four polished walls and base except **300/Q/20** and **300/Q/40** which have a grey base.
- Types 300/18.1/D, 300/28.1/D & 300/18.1/SBT15/D have a diagonal sample compartment for front surface fluorescence .

Туре	Window	Path	Internal		External		Nominal
	Material	Length	Width	L	W	Н	Vol. ml
300/3/ST	Q	10	10	12.5	12.5	45	3.500
300/3	Q	10	10	12.5	12.5	45	3.500
300/23	Q	10	10	12.5	12.5	48	3.500
300/29	Q	10	4	12.5	12.5	48	1.400
300/28.05	Q	10	0.5	12.5	12.5	48	0.175
300/28.1	Q	10	1	12.5	12.5	48	0.350
300/28	Q	10	2	12.5	12.5	48	0.700
300	Q	20	20	26	26	40	12.000
300	Q	40	20	46	26	40	24.000
300/18.1/D	Q	1		12.5	12.5	45	0.350
300/28.1/D	Q	1		12.5	12.5	48	0.350
300/18.1/SBT1	5/D Q	1		12.5	12.5	59	0.350







Type 93, 96, 97 & 98 Colorimeter/Absorption cells

- Two polished windows.
- U-shaped wall construction.
- Fully fused.

Type 93. Colorimeter

Type No.	Window Material	Path Length	Internal Width	E: L	ktern W	al H	Nominal Vol. ml
93	G	2	50	6	55	56	5
93	G	5	50	9	55	56	12.5
93	G	10	50	14	55	56	25
93	G	20	50	24	55	56	50
93	G	30	50	34	55	56	75
93	G	40	50	44	55	56	100
93	G	50	50	54	55	56	125

Type 96. Absorption or Colorimeter • 96/MCB for Macbeth colorimeter.

Туре	Window	Path	Internal	Ex	tern	al	Nominal
No.	Material	Length	Width	L	W	Н	Vol. ml
96	G	2.5	24	8.5	28	40	1.80
96	G	5	24	11	28	40	3.60
96	G	10	24	16	28	40	7.20
96	G	20	24	26	28	40	14.00
96	G	40	24	46	28	40	28.00
96	G	100	24	106	28	40	70.00
96/MCI	B G	10	24	14	28	40	7.20

Type 97.40. Absorption or Colorimeter


Туре	Window	Path	Internal	Ex	tern	-	Nominal
No.	Material	Length	Width	L	W	Н	Vol. ml
97.40	G	2.5	16	6.5	20	40	1.4
97.40	G	5	16	9	20	40	2.8
97.40	G	10	16	14	20	40	5.6
97.40	G	20	16	24	20	40	11.20
97.40	G	40	16	44	20	40	22.40
97.45	G	40	16	44	20	45	25.60
97.40	G	50	16	54	20	40	28.00
97.40	G	100	16	104	20	40	56.00


Type 97.60 Absorption or Colorimeter


Type No.	Window Material	Path Length	Internal Width	E> L	tern W	al H	Nominal Vol. ml
97.60	G	2.5	16	6.5	20	60	1.60
97.60	G	5	16	9	20	60	3.20
97.60	G	10	16	14	20	60	6.40
97.60	G	20	16	24	20	60	12.80
97.60	G	40	16	44	20	60	25.16
97.60	G	50	16	54	20	60	32.00
97.60	G	100	16	104	20	60	64.00

Type 98. Absorption or Colorimeter


Type No.	Window Material	Path Length	Internal Width	Ex L	terno W	al H	Nominal Vol. ml
98	G	2.5	12	8.5	18	40	1.20
98	G	5	12	11	18	40	2.40
98	G	10	12	16	18	40	4.80
98	G	13	12	19	18	40	6.24
98	G	15	12	21	18	40	7.20
98	G	20	12	28	18	40	9.60
98	G	25	12	31	18	40	12.00
98	G	30	12	36	18	40	14.40
98	G	33	12	39	18	40	15.85
98	G	40	12	46	18	40	19.20















00.3/Q/3





Type 100. Gel boat cells

- Two polished windows.
- Open top, no lid.

Туре	Window	Path	Int	ernal	E	ternc	ıl
No.	Material	Length	W	Н	L	W	Н
100.3	Q	3	3	10	104	6	12
100.5	Q	5	5	10	100	7.5	10.5
100.6	Q	6	6	10	104	10	12
100.7	Q	7	7	10	104	11	12
100.8	Q	8	8	10	104	12	12

Cell holder, short path length

The cell holder Type CH/2049 is designed for use with Types 20 & 49 with path lengths of 3mm or less. Exterior dimensions are 12.5 x 12.5 x 52mm.

Description




CH/2049 Cell holder, short path length

Type No.

Cell holder, long path length

Cell holders Type CH/50 and CH/100 are for rectangular cells up to 50mm and 100mm path lengths respectively. The CH/34/100 fits 50mm or 100mm Type 34. All are complete with a 75mm x 50mm back plate to fit standard infrared instrument holders.



Type No.	Description
CH/1/50	Up to 50mm cell holder
CH/1/100	Up to 100mm cell holder
CH/34/100	50/100mm T34 holder

Cell compartment spacers

Aluminium spacers, black anodised, available in three sizes for use with 1, 2, and 5mm path length cells, supporting them in a 12.5 x 12.5mm holder where there is no cell holder path length adjustment facility.

Type No	Description
SPA/1	for 1 mm path length cells
SPA/2	for 2mm path length cells
SPA/1 SPA/2 SPA/5	for 5mm path length cells


Magnetic stir bars

PTFE coated magnetic stir bars, available in packs of ten to fit the MS range of cells illustrated on page 26 of this catalogue. Types 18/MS and 28/MS need the MSB/6x1.5 to allow the stirring bar to enter the narrow sample compartment.

MSB/5x2/105mm long x 2mm diameterMSB/6x1.5/106mm long x 1.5mm diameter
MSB/6x3/10 6mm long x 3mm diameter

Quartz block inserts

Precision polished Far UV quartz inserts are intended for use with Standard Rectangular 10mm path length cells (see page 5), when a reduced path length is required without using a different cell. Four size combinations, each provide two different path lengths as indicated, by rotating the insert through ninety degrees.



زمسہ

MSB 6X3

MSB 6Y1


)

Туре	Path	External		
No.	length	L	W	Н
QBI/101	1 or 5	9	5	48
QBI/102	1 or 2	9	8	48
QBI/103	1 or 0.5	9	9.5	48
QBI/104	1 or 0.05	9	9.95	5 48

Cell lids

Cell lids are available in PTFE up to 100mm long. Vaned polyethylene lids for 10mm rectangular cells only. Lids for large rectangular cells manufactured to special order.


Types 1 & 3	9	18
LID/1.001	LID/9.001	LID/18.001
LID/1.002	9.002	18.002
LID/1.005	9.005	18.005
LID/1.010	9.010	18.010
LID/1.010V		
LID/1.020	9.020	18.020
LID/1.040	9.040	18.040
LID/1.050	9.050	18.050
LID/1.100	9.100	18.100



Stoppers

Spare stoppers for all cells require cell type identification. The most common types are shown in the table below

Type No.	To fit
STP/C2.5	23-1.45, 2.45, 3.45
STP/C5	23-4.45, 31B, 21,23 (5mm or less), 23-5.45
STP/C5L	62, 63
STP/C7	28, 29, 32 (up to 10mm)
STP/C10	21, 21N, 23
STP/C10L	34, 32 (over 10mm)
STP/C10.LHS/Z8.5	26/LHS/78.5
STP/C10.LHS/Z15	26/LHS/Z15 or Z20
STP/C10.10V	16R



GL/14/C/PTFE

Caps, closed & septum


Screw caps to fit GL14 or ST threaded tops available as either fully closed cap or septum seal cap.

Type No.	Description	Dia.	Height	Remarks
GL/14C/PTFE	Closed cap	20mm	17mm	PTFE/WHITE
GL/14C/PBT	Closed cap	20mm	17mm	PBT/RED
GL/14S/PTFE	Septum cap	20mm	17mm	PTFE/WHITE
GL/14S/PBT	Septum cap	20mm	17mm	PBT/RED
GL/14/C/PTFE/S	SPF Closed cap,	PTFE Face	ed Silicone Se	al
ST/C	Closed cap	12mm	12mm	
ST/S	Septum cap	12mm	12mm	
GL/14/SEAL/S	Cap or Septu	m seal Sil	icone	Pack of 10
GL/14/SEAL/SPF	Cap or Septu	m seal Sil	licone/PTFE F	ace Pack of 10
ST/SEAL/S	Cap or Septu	ım seal Si	licone	Pack of 10
ST/SEAL/PT	Cap or Septu	ım seal N	itrile/PTFE Fac	e Pack of 10

Anti-reflection & mirror coatings

Some fluorescent applications require either or both the excitation and emission energy to be enhanced by applying a metallic mirror coating to the outside of adjacent windows opposite to the source and the detector windows. Similarly, anti-reflection coatings on the other windows reduce reflective losses. Each suffix indicates coating for two adjacent walls per cell and is priced accordingly in the price list.

Type No. Description		
/AR	Anti-reflection coating	
/MC	Mirror coating	
/AR/MC	Anti-reflection & mirror coatin	





23/Q/10/M0 3/Q/10/MC



Fittings for 583, 584 & 585 Series cells

Universal single-ended connectors

- One pair of gripper fittings, M6 thread, consisting of one long and one short connector, single-ended.
- Each fitting comes with 1,5 metre of tubing as standard, other lengths available on request.
- PTFE tube is standard, 1.6mm O.D, 1mm I.D. FEP available on request.

Type No.	Description
TJ/G/1.5/PTFE	Pair of connectors, PTFE tube
TJ/G/1.0/FEP	Pair of connectors, FEP tube

Universal adaptors, screw fitting to flexible tubing

- Supplied in pairs, to convert M6 and 1/4 screw thread 28 TPI.
- Suitable for using push-on flexible silicone tubing or similar with a range of internal diameters from 1mm to 3.5mm.

Type No.	Description
TJ/G/038	Pair of barbed adaptors for M6 thread
LTC/G/0.5	Pair of barbed adaptors for 1/4 x 28

Fittings for TC external Quartz threads

- To fit male threaded quartz tubes fully fused to the cell.
- PTFE flange, ferrule and cap to screw onto the male thread, single ended.
- Each tube one metre length standard, 1.6mm O.D. 1mm I.D. Other lengths available on request.

Type No. Description MCTC/1.0

Pair of connectors, PTFE tube, Cap & ferrule

Fittings for LCTC external Quartz threads

- For use with 1/4 28TPI male thread fully fused to the cell.
- PTFE collar, gripper fitting.

Type No.

LTC/0.5

 Each tube 0.5 metre length, 1/8 " O.D, x 1/6 " I.D. Other lengths available on request.

	R	
)	Û
Ŭ]	Ŭ

LTC/0.5

Varian C50 Dissolution connector spares kit

Pair of connectors, PTFE tube, Bolt and Collar

• One pair of gripper fittings, one long double-ended with M6 thread, to 1/4 28TPI female and one short double-ended with M6 thread, to 1/4 28TPI female.

Description

- Each tube 30cm long between connectors.
- Clear PTFE tube standard coloured PTFE tubing available in following colours: Blue, Brown, Green, Natural, Purple, Red, White, Yellow.

Type No.	Description
TJ/G/C50	Pair of connectors, PTFE tube
TJ/G/C50x4	Four pairs of above, colours to be specified
TJ/G/C50x8	Eight pairs of above, one pair of each colour
TJ/G/C50x9	Set of 9 single dual path length inter-connecting tubing kit

Varian C100 Dissolution connector spares kit

- One pair of gripper fittings, one long double-ended with M6 thread, to 1/4 28 TPI male and one short double-ended with M6 thread, to 1/4 28TPI male.
- Each tube 21cm long between connectors.

Type No.	Description	
TJ/G/C100	Pair of connectors, PTFE tube	
TJ/G/C100x9	Set of 9 single dual path length inter-connecting tubing kit	

Luerlock Adaptor spares kit

- One Luerlock adaptor for use with syringe.
- One screw fitting for overflow or to waste. Note: Syringe not included.

Type No.	Description	
TJ/LLA/TJ/G	One Luerlock adaptor	
	One screw fitting with tube	



Starna Optical Polishing Cloth

The Starna lint-free Optical Polishing Cloth is specifically for use with Starna Liquid Reference Materials sealed into quartz cells where the optical windows need to be kept scrupulously clean for all valuation procedures.It may also be used for cleaning most types of normal glass and guartz cell windows but is not intended for use with any type of alass or metal on quartz filter.



Type No.	Description	
CellClean/OPC	Lint-free Optical Polishing Cloth 25cm sq.	

Starna[®] CellClean

Scrupulously clean glass or quartz cells are essential for consistent analytical results in all photometric disciplines. Starna® CellClean is an aqueous based cleaner with a unique combination of ingredients and provides cleaning actions that are able to lift, disperse, emulsify, sequester, dissolve, suspend or decompose. It may be used to remove oil, grease, resin, tar, wax, biological materials, insoluble oxides, fine particles and many other contaminants.



Funnels

Type No.

Plastic or glass funnel suitable for use with aspiration cells Types 25, 28-AS and 29-AS. Funnel has approximate diameter of 30mm.

Type No.	Description	
FUN/P/30	Plastic funnel 30mmø	
FUN/G/30	Glass funnel 30mmø	





www.starna.com

flow cell fittings, Cell <u>Cleaner</u>

'Spinette' cell stirrer

'Spinette' cell stirrers offer the ability to simultaneously measure and stir the contents of specially designed cells (MS), see page 26. Mixing of solutions is with a tiny magnetic stir bar placed into a purpose made well at the bottom of the cell. A small electronic coil rotation assembly is placed under the cell in the sample compartment. This raises the cell by 5mm which, without affecting instrument operation may also reduce the required sample volume. The 'Spinette' will fit all standard spec to photom eters cell holders.

The speed of rotation can be adjusted with the controller which is connected to the electronic magnet by thin ribbon wire one metre in length. This will not interfere with insertion or removal of cells from the sample compartment and will also allow in srument covers to close normally.

Magnetic stir bars are available to fit the specially designed MS range of cells with 'stirring wells' depicted on page 26.

Ultra High Vacuum (UHV) cells

- Designed for use in vacuums <10⁻⁹ Torr
 Windows polished to λ10 per cm².
 20/10 scratch & dig.
- Far UV synthetic quartz or borosilicate. Fully heat fused



A wide variety of UHV cells are produced. Used for quantum mechanics experimentation including Bose Einstein condensate experiments. Multilayer 'V', 'W' or broadband coatings available for specific wavelengths.

Window Materials	Typical di Internal	mensions External
Q	20 x 20 x 97	26 x 26 x 100
Q	24 x 24 x 97	30 x 30 x 100
Q	30 x 30 x 96	38 x 38 x 100
	Materials Q Q	Materials Internal Q 20 x 20 x 97 Q 24 x 24 x 97

Cutom sizes can be manufactured to special order. Dimensions should be specified when ordering, internal or external.

Borosilicate materials may be used for UHV cells when dimensions allow.

When purchasing stir bars separately for use with micro cells, the correct size must be selected. One stir bar is included with each MS cell. Typically, a cell filled with aqueous solution up to 30mm from the base, may be fully mixed within five seconds. The Spinette cell stirrer is supplied complete with speed controller, electronic rotation platform, ribbon wire and one stir bar. There are two models available, one with input voltage of 110 VAC and the other 220/240 VAC,

see below. Type No

Type No.	vpe No. Description	
SCS1.22	Spinette cell stirrer 240 VAC	
SCS1.11	Spinette cell stirrer 110 VAC	


Fluorescent reference materials

Molecular fluorescence spectroscopy is a sensitive and often selective technique. Unlike absorption spectrophotometry it is not an absolute technique: instruments therefore require calibration before every series of measurements. This may be achieved using a stable reference material, which should absorb and emit at similar wavelengths to the samples of interest. Use of the general purpose fluorescent reference material set type 6BF enables the day to day stability of instruments to be measured.

The 6BF reference materials are not standards with absolute values, but a set of six relatively stable fluorescent materials in a polymethylmethacrylate matrix with which the stability and precision of the instrument can be monitored. Four blocks exhibit broad band spectra which cover the normally used UV and visible region of the spectrum, with considerable overlap. Two blocks contain materials suitable for illustrating the selectivity of the technique as well as checking instrument resolution and wavelength calibration. The materials have the following advantages:

Stability: no degradation, no evaporation. Safety: no chemicals to mix. Robust: unbreakable, easy to store and use.

Further information can be found in the Starna® booklet entitled: "Reference Materials for Molecular Fluorescence Spectrophotometry"



Also available in permanently flame-sealed cells are the following references for fluorimeter applications.

Quinine Sulphate [RM-QS] solution in sealed cells for fluorescent instrument qualifications.

Rhodamine [4-TB/Rhodamine/101] flame-sealed into triangular cells for quantum yield and spectral correction.

Water cell [3/Q/10/Water] suitable for Raman Band signal to noise determination.

Instrument validation NIST Traceable Glass & Liquid References

*Starna are a world leading manufacturer and supplier of Certified Reference Materials [CRMs] for UV, Visible and Near Infrared photometer applications. All CRMs are manufactured to ISO 17025 & ISO Guide 34 in the Starna UKAS accredited laboratory.

- ***Starna** CRMs meet all current international regulatory validation requirements for UV, Visible and Near Infrared spectrophotometer instruments.
- *Glass filter CRMs are manufactured to the exacting standards required by **National Metrology Institutes [NMIs].**



- *All Starna liquid references are heat fusion-sealed, eliminating both contamination and leakage issues. Starna has forty years experience in the production of heat fusion - sealed references.
- *A Lifetime Guarantee covers all Starna UKAS Certified references, provided the CRMs are re-certified at least every two years and are used in compliance with the conditions of use, stated in the documentation enclosed with each set.
- ***Re-calibration service** with a guaranteed five working day turn-round is available from the Starna Calibration Laboratory, for all references. Some third party references can also be certified to ISO 17025 standard.

Below are some typical set designations to meet various regulatory requirements. Full details of all references are available from Starna.

 European Pharmacopoeia - RM-0660HLKCTX

 Potassium Dichromate 60 & 600mg/l, Holmium Perchlorate, Potassium Chloride, Toluene/Hexane

 Full Pharmacopoeia - RM-0660HLKCSITX

 Potassium Dichromate 60 & 600mg/l, Holmium Perchlorate, Potassium Chloride, Sodium Iodide, Toluene/Hexane

 United States Pharmacopoeia (USP) - RM-06HLKITX

 Potassium Dichromate 60mg/l, Holmium Perchlorate, Potassium Iodide, Toluene/Hexane

 RM-06 Potassium Dichromate 60mg/l
 RM-HL Holmium Perchlorate

 RM-1N2N3N Neutral Density Filter 10, 20 & 30%T
 RM-NIN35N Neutral Density Filter 1, 3 & 50%T

 RM-NIR TS5 Reference
 Mavelength
 Stray Light
 Instrument Resolution

Terms of Sale

Normal terms of sale are net 30 days, FOB Hainault to authorised accounts. Under our terms of sale 'Title of ownership of any goods shipped does not transfer until the goods have been paid for in full'.

Product Warranty

Starna[®] Spectrophotometer and Fluorimeter cells are warranted to meet the specifications shown on page 2 of this catalogue and be equal to or better than the dimensional tolerance for each cell listed. Stringent quality control is exercised throughout production with only guaranteed and brand named raw materials used, so that cells will perform to the highest specification for any given design.

Any goods to be returned under warranty require a Return of Merchandise Authorisation (RMA) number, which can be obtained by calling our Customer Service Department.

We reserve the right to change the design or specification of any product without prior notification.

Technical Information

Technical staff are available to assist in the selection of cell material or physical configuration to satisfy individual applications.

Method of shipment

Prices do not include shipping costs, duty or tax. Normal shipment, unless otherwise specified, is by recorded letter or parcel post. Overnight service is available via Courier or Data Post. Overseas shipments utilise Air parcel or letter post, UPS, TNT, DHL, FedEx or regular air freight. Unless specified otherwise all shipping charges are prepaid and added to the sales invoice.

Stock items

Great efforts are made to stock the widest possible range of products for immediate shipping.

Any item temporarily out of stock will be back ordered to our own production facility and shipped at the earliest possible opportunity unless otherwise instructed.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of Starna Scientific Ltd.

First published 1972. Revised 1978, 87, 91, 95, 01 & 03. This edition UK 09/10. The copyright © of this catalogue is held by the Starna[®] group of companies.

Starna Scientific Limited

52-54 Fowler Road, Hainault, Essex IG6 3UT, UK

Starna Scientific Sales & Technical Assistance Tel: +44 (0)20 8501 5550 Fax: +44 (0)20 8501 1118 Email: sales@starna.com www.starna.com



Starna scientific

Starna Cells Inc.

PO Box 1919 Atascadero CA 93423 USA Tel: 800 228 4482 805 466 8855 Fax: 805 461 1575 Email:info@starnacells.com

Starna Pty. Ltd.

PO Box 6751 Baulkham Hills BC NSW 2153 AUSTRALIA Tel: 61-2-9659 8088 1 800 252 284 Fax: 61-2-9659 8511 Email: info@starna.com.au

Starna GmbH

Postfach 1206 D-64311 Pfungstadt GERMANY Tel: +49 (0) 6157

Fax: +49 (0) 6157 85564 Email: starna@t-online.de

Local Distributor